

Engraved by F. Sansom.

William Curtis,

Author of the

FLORA LONDINENSIS, BOTANICAL MAGAZINE &c.

SHOUT
SHARE
IT

GENERAL INDEXES

TO THE

PLANTS

CONTAINED IN

THE FIRST TWENTY VOLUMES

OF THE

BOTANICAL MAGAZINE,

COMPREHENDING

1. An Alphabetical Latin INDEX.
2. An Alphabetical Engliſh INDEX.
3. An ENUMERATION of the Plants figured in the Order of Publication with Corrections and additional Remarks.
4. A SYSTEMATIC ARRANGEMENT.

LONDON:

Printed by STEPHEN COUCHMAN, Throgmorton-Street,

For the PROPRIETORS, and Sold at No. 3, St. GEORGE'S-CRESCENT, near the Obeliſk, *St. George's-Fields*:

Alſo, by all Bookſellers, Stationers, and News-Carriers, in Town and Country.

1805.

ADVERTISEMENT.

THE purchaſers of the BOTANICAL MAGAZINE have indeed ſome right to complain of the length of time that has intervened between the completion of the twentieth volume and the publication of theſe Indexes. Many circumſtances have combined to occaſion this delay, but the principal cauſe has been an intention on the part of the Editor to have given a review of the whole work, with a critical examination of what has been ſaid on the ſame plants in the foreign publications which have either appeared ſince or had not fallen under his or his predeceſſor's notice, ſoon enough to be conſidered at the time their account of the different plants was written; his avocations have not however allowed him the leiſure neceſſary to the completion of ſuch a deſign, and it has been at laſt reluctantly relinquiſhed. In the Enumeration indeed will be found ſome additions made to ſeveral of the articles and ſome corrections of errors and changes of the names, which the advancement of ſcience appeared to render neceſſary; the peruſal of this part will ſhew in ſome meaſure what was wiſhed to have been done, and as the Editor may at a future time reaſſume his former intentions, he will be greatly obliged to his Botanical readers for their remarks and criticiſms upon any of the articles that have been already or ſhall hereafter be publiſhed.

Poſſeſſors of rare or curious plants, which they may be deſirous of ſeeing figured in the Botanical Magazine, may generally have their wiſhes gratified, if ſuch plants are ſent when coming into flower (or good ſpecimens in a ſtate fit for drawing) to Dr. SIMS, 67, *Upper Guilford-Street*, free of Expence. When drawn and deſcribed, the plants will be returned to the owner's order, and if neceſſary will be in the mean time preſerved in a ſtove.

☞ In the Latin Index, the names printed in Italics are Synonyms.

INDEX.

In which the *Latin Names* of the Plants contained in the firſt *Twenty Volumes* of the BOTANICAL MAGAZINE are alphabetically arranged.

Vol.	Page	
14	498	ACHILLEA tomentoſa.
4	134	Adonis vernalis.
20	775	—— *veſicatoria.*
16	554	Agapanthus *enſifolius.*
14	500	—— umbellatus.
9	295	Agroſtemma Cœli Roſa.
1	24	—— coronaria.
12	398	—— Flos Jovis.
5	173	Aitonia capenſis.
19	720	Albuca minor.
—	720	—— *lutea.*
14	501	*Aletris capenſis.*
20	764	—— *pumila.*
—	744	—— *ſarmentoſa.*
—	758	—— *Uvaria.*
10	338	Allamanda cathartica.
20	774	Allium ciliatum.
7	251	—— deſcendens.
14	499	—— Moly.
20	756	Alöe arachnoides.
13	457	—— diſticha.
20	757	—— humilis.
—	765	—— maculata.
—	765	—— *obliqua.*
14	472	—— perfoliata.
13	457	—— plicatilis.
—	455	—— retuſa.
15	513	—— variegata.
19	738	—— *Uvaria.*
4	125	Alſtrœmeria Ligtu.
—	139	—— Pelegrina.
—	126	Alyſſum deltoideum.
3	101	—— *halimifolium.*
—	101	—— maritimum.
12	419	—— montanum.
5	159	—— ſaxatile.
4	130	—— utriculatum.
7	239	Amaryllis Atamaſco.
12	409	—— aurea.
19	733	—— Belladonna.
—	725	—— curvifolia.
9	305	—— equeſtris.
19	725	—— *Fothergillia.*
2	47	—— formoſiſſima.
19	726	—— humilis.
18	661	—— longifolia.
9	290	—— lutea.
13	453	—— Reginæ.
18	657	—— reticulata.
9	294	—— ſarnienſis.
4	129	—— vittata.
11	369	—— undulata.
5	161	Amygdalus nana.
9	319	Anagallis Monelli.
20	775	*Anamenia laſerpitiifolia.*
18	667	Andromeda *caſſinefolia. β.*
—	667	—— *ovata.*
—	667	—— pulverulenta.
15	515	*Anchuſa orientalis.*
20	743	Androſace villoſa.
1	10	Anemone Hepatica.
4	123	—— hortenſis.
2	54	—— ſylveſtris.
17	605	Anomatheca juncea.
13	462	Anthemis Pyrethrum.
9	318	Anthericum Liliaſtrum.
16	561	Antholyza æthiopica.
15	533	—— *aletroides.*
10	343	—— *Cunonia.*
12	418	—— *Meriana.*
13	441	—— *Merianella.*
16	567	—— *quadrangularis.*
17	601	—— *ſpicata.*
18	676	Anthyllis Erinacea.

Vol.	Page	
3	108	A——— tetraphylla.
6	207	Antirrhinum alpinum.
11	368	——————— *hirtum*.
3	99	——————— purpureum.
6	200	——————— ſparteum.
15	525	——————— triornithophor^{m}.
9	324	——————— triphyllum.
3	74	——————— triſte.
11	368	——————— viſcoſum.
8	280	Apocynum androſæmifolium.
7	246	Aquilegia canadenſis.
—	226	Arabis alpina.
15	544	Arctotis anthemoides.
7	243	Argemone mexicana.
17	605	Ariſtea capitata.
13	458	——— cyanea.
15	520	——— ſpiralis.
—	534	Ariſtolochia Sypho.
10	339	Arum trilobatum.
—	344	Aſpalathus pedunculata.
15	515	*Aſperugo divaricata*.
20	773	Aſphodelus luteus.
6	199	Aſter alpinus.
1	33	——— tenellus.
11	375	Aſtragalus monſpeſſulanus.
15	530	Atragene alpina, *v.* auſtriaca.
19	716	——————— capenſis.
5	180	Azalea nudiflora, *v.* coccinea.
13	433	——— pontica.
17	626	Babiana diſticha.
16	576	——— plicata.
12	410	——— rubro-cyanea.
17	638	——— ſpathacea.
—	637	——— ſtricta, *v.* α.
—	621	——— ſtricta, *v.* β.
18	680	——— tubiflora.
16	583	——— villoſa.
19	738	Bankſia ericæfolia.
—	715	Bauera rubioides.
7	228	Bellis perennis, *v.* fl. pleno.
19	700	Betonica grandiflora.
14	485	Bignonia radicans.
13	451	Blakea trinervia.
20	754	*Blandfordia cordata*.
8	276	Blitum virgatum.
—	274	Borbonia crenata.
14	482	——————— *cordata*.
10	357	Briza maxima.
1	34	Browallia elata.
11	393	Brunsfelſia americana.
7	217	Buchnera *canadenſis*.
—	217	——————— *viſcoſa*.
5	174	Buddlea globoſa.
—	153	Bulbocodium vernum.
16	564	Cacalia coccinea.
1	17	Cactus flagelliformis.

Vol.	Page	
10	348	Calceolaria Fothergillii.
2	41	——————— pinnata.
12	408	Calendula Tragus.
14	503	Calycanthus floridus.
13	466	——————— præcox.
2	42	Camellia Japonica.
16	551	Campanula azurea.
20	782	——————— capenſis.
13	444	——————— *canarienſis*.
4	117	——————— carpatica.
19	691	——————— gracilis.
7	252	——————— grandiflora.
12	404	——————— mollis.
—	397	——————— perſicifolia, *var.* maxima.
19	691	——————— *polymorpha*, δ.
15	512	——————— pumila.
—	512	——————— *puſilla ?*
—	512	——————— *rotundifolia*, β.
18	659	——————— ſibirica.
3	102	——————— ſpeculum.
19	691	——————— *vincæflora*.
13	444	Canarina Campanula.
—	454	Canna indica.
9	291	Capparis ſpinoſa.
13	452	Cardamine trifolia.
3	107	Caſſia chamæcriſta.
17	633	——— corymboſa.
9	293	Catananche cærulea.
4	131	Cateſbea ſpinoſa.
6	210	Celſia linearis *eſt* Hemimeris.
12	417	——— urticæfolia *eſt* Hemim^{a}.
—	421	Centaurea aurea.
2	62	——————— glaſtifolia.
3	77	——————— montana.
14	494	——————— raguſina.
19	737	Cerbera ahovai.
1	17	*Cereus flagelliformis*.
10	333	Cerinthe major.
—	333	——————— *glaber*.
5	166	Cheiranthus maritimus.
6	195	——————— mutabilis.
19	729	——————— triſtis.
7	233	Chironia baccifera.
19	707	——————— decuſſata.
2	37	——————— fruteſcens.
19	707	——————— *latifolia*.
15	511	——————— linoides.
10	327	Chryſanthemum indicum.
15	508	——————— tricolor.
7	249	Cineraria amelloides.
12	406	——————— cruenta.
2	53	——————— lanata.
18	646	*Cipura paludoſa*.
17	627	Ciſtus algarvenſis.
8	264	——— formoſus.

Vol.	Page	
2	43	C—— incanus.
4	112	——— ladaniferus.
2	65	Clematis integrifolia.
16	565	——— Viticella.
3	101	*Clypeola maritima.*
—	81	Colutea arboreſcens.
6	181	——— fruteſcens.
15	510	Convallaria bifolia.
10	359	Convolvulus althæoides.
19	699	——— cairicus.
13	459	——— Cneorum.
9	289	——— linearis.
6	188	——— Nil.
4	113	——— purpureus.
19	732	——— ſepium, *var.* β. americanus.
1	27	——— tricolor.
5	156	Coreopſis verticillata.
15	526	Cornus florida.
13	445	Coronilla Emerus.
1	13	——— glauca.
6	185	——— valentina.
8	258	——— varia.
9	321	Cotyledon orbiculata.
14	495	Craſſula coccinea.
11	384	——— Cotyledon.
16	596	Cratæva *capparoides.*
—	596	——— fragrans.
—	596	——— *moſchata.*
1	35	Crepis barbata.
14	500	*Crinum africanum.*
18	661	——— *longifolium.*
2	45	Crocus mæſiacus.
18	652	——— ſuſianus.
2	45	——— *vernus.*
14	490	Crotalaria juncea.
—	482	——— triflora.
16	568	Cyanella capenſis.
1	4	Cyclamen coum.
2	44	——— perſicum.
1	7	Cynogloſſum Omphalodes
6	192	Cypripedium acaule.
—	216	——— album.
11	374	Cyrilla pulchella.
8	271	Cyrtanthus anguſtifolius.
12	426	Cytiſus folioloſus.
5	176	——— Laburnum.
8	255	——— ſeſſilifolius.
20	762	Dahlia coccinea.
5	147	Dais cotinifolia.
—	147	—— *laurifolia.*
9	313	Daphne Cneorum.
12	428	——— collina.
15	505	Dianella cærulea.
6	207	Dianthus barbatus.
2	39	D—— Caryophyllus, *var.* Franklin's Tartar.
1	25	——— chinenſis.
9	297	——— ſuperbus.
13	449	Dillenia *indica.*
—	449	——— ſpecioſa.
20	785	Dionæa Muſcipula.
13	456	Dioſma ſerratifolia.
8	273	——— uniflora.
7	218	Diſandra proſtrata.
1	12	Dodecatheon Meadia.
11	380	Dolichos lignoſus.
5	170	Draba aizoides.
19	713	—— pyrenaica.
6	214	Dracocephalum denticulatum
13	467	——— virginianum.
11	387	Epidendrum alöides.
20	777	——— *carthagenenſe ?*
13	463	——— ciliare.
16	572	——— cochleatum.
15	543	——— cucullatum.
17	611	——— elongatum.
5	152	——— fragrans.
20	777	——— undulatum.
3	76	Epilobium anguſtiſſimum.
13	440	Erica albens.
9	393	—— ampullacea.
12	429	—— aitonia.
—	423	—— articularis.
10	358	—— baccans.
1	11	—— *carnea.*
14	484	—— ciliaris.
7	220	—— cerinthoides.
13	447	—— empetrifolia.
16	580	—— glauca.
6	189	—— grandiflora.
1	11	—— herbacea.
14	481	—— hirtiflora.
19	706	—— longifolia, *var.* carnea.
10	356	—— Maſſoni.
14	471	—— mediterranea.
17	612	—— metulæflora.
10	342	—— perſoluta.
13	443	—— phyſodes.
14	480	—— pubeſcens.
11	366	—— pyramidalis.
—	362	—— retorta.
10	342	—— *ſubdivaricata.*
—	350	—— ventricoſa.
12	402	—— veſtita, *var.* coccinea.
9	310	Erinus alpinus.
1	18	Erodium chamædrioides.
8	261	——— incarnatum.
11	377	——— romanum.
1	5	Erythronium Dens canis.
20	7[illegible]	*Erythrorbiza rotundifolia.*

Vol.	Page	
14	473	*Eugenia uniflora.*
19	709	*Fabricia ferrata.*
18	662	—— *ſtellata.*
19	711	—— *villoſa.*
7	241	Fagonia cretica.
20	751	Ferraria antheroſa.
18	646	—— *elegans.*
15	532	—— *Pavonia.*
—	532	—— Tigridia.
20	751	—— *viridis.*
4	144	—— undulata.
2	63	Fragaria monophylla.
6	194	Fritillaria Imperialis.
18	664	—— pyrenaica.
3	97	Fuchſia coccinea.
2	32	Fumaria *bulboſa.*
7	232	—— cava.
5	179	—— glauca.
7	231	—— ſolida.
5	179	—— *ſempervirens.*
20	754	Galax aphylla.
—	783	*Garciana cochinchinenſis.*
18	690	Gardenia Rothmannia.
9	389	Gaura biennis.
8	388	—— mutabilis.
16	584	Geiſſorhiza exciſa.
18	672	—— obtuſata.
17	598	—— rochenſis.
—	597	—— ſecunda.
13	442	Geniſta linifolia.
9	314	—— triquetra.
2	52	Gentiana acaulis.
19	705	—— adſcendens, v. *α.*
—	723	—— v. *β.*
17	639	—— ciliata.
19	705	—— *decumbens.*
14	491	—— verna.
6	206	Geranium anemonifolium.
—	203	—— angulatum.
14	504	—— argenteum.
2	55	—— ſtriatum.
3	103	—— *acetoſum.*
5	148	—— *betulinum.*
6	201	—— *bicolor.*
9	315	—— *ceratophyllum.*
5	165	—— *cordifolium.*
14	477	—— *craſſicaule.*
9	309	—— *echinatum.*
4	143	—— *glutinoſum.*
8	261	—— *incarnatum.*
20	761	—— *incraſſatum.*
2	56	—— *lanceolatum.*
1	20	—— *peltatum.*
16	579	—— *pinnatum.*
15	547	—— *præmorſum.*
—	524	—— *pulchellum.*
15	547	G —— *quinatum.*
3	95	—— *Radula.*
1	18	—— *Reichardi.*
18	493	—— *reniforme.*
3	95	—— *revolutum.*
11	377	—— *romanum.*
12	413	—— *ternatum.*
4	136	—— *tetragonum.*
15	518	—— *tomentoſum.*
7	240	—— *tricolor.*
4	143	—— *viſcoſum.*
14	479	Geropogon glabrum.
16	586	Gladiolus alatus.
17	602	—— anguſtus.
—	625	—— blandus, v. *α.*
18	648	—— v. *β.*
—	645	—— v. *γ.*
4	135	—— cardinalis.
16	591	—— carneus.
—	578	—— carinatus.
3	86	—— communis.
10	343	—— Cunonia.
16	582	—— cuſpidatus.
17	610	—— floribundus.
16	562	—— gracilis.
—	574	—— hirſutus.
19	727	—— *β.*
17	632	—— Milleri.
16	592	—— namaquenſis.
—	567	—— quadrangularis.
—	578	—— recurvus.
19	719	—— ſegetum.
8	272	—— triſtis.
18	647	—— undulatus, v. *α.*
15	538	—— undulatus, v. *β.*
16	556	—— verſicolor.
18	688	—— viperatus.
13	450	—— Watſonius, v. *α.*
16	569	—— Watſonius, v. *β.*
—	567	—— *abbreviatus.*
17	625	—— *albidus.*
16	553	—— *alopecuroides.*
17	606	—— *amabilis.*
15	538	—— *anguſtus.*
—	548	—— *bicolor.*
19	727	—— *brevifolius.*
18	678	—— *criſpus.*
15	528	—— *fiſtuloſus.*
16	576	—— *fragrans.*
—	592	—— *galeatus.*
17	615	—— *gramineus.*
—	600	—— *iridifolius.*
—	606	—— *junceus.*
—	631	—— *laccatus.*
14	487	—— *lineatus.*

Vol.	Page	
8	256	Gnaphalium *longiflorum.*
18	680	
17	600	—— *marginatus.*
—	608	
15	533	—— *merianus.*
16	578	—— *odorus.*
18	688	—— *orchidiflorus.*
17	621	—— *plicatus.*
—	626	
16	576	
—	583	
17	606	—— *polyftachius.*
13	450	—— *præcox.*
16	578	—— *punctatus.*
—	578	—— *ringens.*
—	587	—— *rofeo-albus.*
11	383	—— *fecuriger.*
17	638	—— *fpathaceus.*
19	719	—— *fpicatus.*
17	621	—— *ftrictus.*
18	680	—— *tubatus.*
—	680	—— *tubiflorus.*
15	533	—— *tubulofus.*
13	435	Gnaphalium ericoides.
9	300	—— eximium.
8	263	Glycine bimaculata.
—	270	—— coccinea.
—	268	—— rubicunda.
18	668	Gordonia Lafianthus.
8	287	Goodenia lævigata.
3	90	Gorteria rigens.
12	422	Grewia occidentalis.
14	483	Hebenftretia dentata.
19	708	Hedychium coronarium.
8	282	Hedyfarum obfcurum.
7	227	Helianthus multiflorus.
4	119	Heliconia *Bihai.*
14	502	—— Pfittacorum.
14	496	Heliophila arabioides.
4	141	Heliotropium peruvianum.
1	3	Helleborus hyemalis.
2	72	—— lividus.
1	8	—— niger.
20	748	Helonias afphodeloides.
—	747	—— bullata.
1	19	Hemerocallis flava.
2	64	—— fulva.
6	210	Hemimeris *coccinea.*
—	210	—— linearis.
12	417	—— urticæfolius.
9	299	Hermannia alnifolia.
—	307	—— althæifolia.
—	304	—— lavandulifolia.
16	506	Hefperantha falcata.
—	573	—— radiata.
19	730	Hefperis triftis.

Vol.	Page	
5	158	Hibifcus *javanicus.*
20	769	—— *Patterfonius.*
13	436	—— præmorfus.
5	158	—— Rofa finenfis.
10	360	—— fpeciofus.
3	83	—— fyriacus.
6	209	—— trionum.
19	721	Hillia longiflora.
—	721	—— *parafitica.*
12	427	Hippocrepis balearica.
—	438	*Hortenfia mutabilis.*
11	370	Houftonia cærulea.
5	157	Hyacinthus *botryoides.*
4	133	—— *comofus.*
19	734	—— *mofchatus.*
4	122	—— *racemofus.*
13	437	Hydrangea arborefcens.
—	438	—— hortenfis.
3	87	Hyofcyamus aureus.
4	137	Hypericum balearicum.
5	146	—— calycinum.
—	178	—— Coris.
10	334	—— monogynum.
19	710	Hypoxis *carolinienfis.*
—	710	—— erecta.
—	709	—— ferrata.
—	711	—— fobolifera.
18	662	—— ftellata, v. α.
19	711	—— *villofa.*
13	461	Jafminum fruticans.
8	285	—— odoratiffimum.
1	31	—— officinale.
17	604	Jatropha panduræfolia.
4	124	Iberis gibraltarica.
3	106	—— umbellata.
13	439	Illicium floridanum.
—	465	Indigofera anguftifolia.
6	198	—— candicans.
19	742	—— cytifoides.
14	476	—— Pforaloides.
20	752	Ipomœa Bona Nox.
7	221	—— coccinea.
—	244	—— Quamoclit.
11	373	Iris chinenfis.
12	412	—— criftata.
18	671	—— florentina.
—	670	—— germanica.
—	681	—— graminea.
—	669	—— lurida.
—	679	—— lufitanica.
2	61	—— ochroleuca.
—	685	—— pallida.
1	1	—— perfica.
—	9	—— pumila.
6	187	—— fambucina.
2	50	—— fibirica.

Vol.	Page	
2	58	I— ſpuria.
3	91	— ſuſiana.
15	531	— tuberoſa.
1	16	— variegata.
1	21	— verſicolor.
19	703	— virginica.
18	687	— Xiphioides.
—	686	— Xiphium.
19	693	— *compreſſa.*
20	759	— *criſpa.*
17	613	— *edulis.*
—	613	— *longifolia.*
12	416	— *martinicenſis.*
18	685	— *odoratiſſima.*
20	750	— *papilionacea.*
5	168	— *Pavonia.*
20	771	— *ramoſa.*
—	771	— *ramoſiſſima.*
19	702	— *tripetala.*
16	577	— *triſtis.*
—	571	— *villoſa.*
—	587	— *viſcaria.*
12	432	Juſticia coccinea.
10	325	——— naſuta.
12	430	——— peruviana.
16	589	Ixia ariſtata.
—	570	— capillaris, *v.* gracillima.
17	617	——————— *v.* incarnata.
—	617	——————— *v.* ſtricta.
17	630	— columellaris.
15	539	— conica.
16	594	— crateroides.
17	599	— criſpa.
—	623	— erecta.
17	624	— flexuoſa.
4	128	— hybrida.
16	549	— maculata, *v.* viridis.
17	607	— monadelpha.
15	522	— patens.
17	629	— polyſtachia.
—	542	— ſcillaris, *v.* latifolia.
17	623	— *ſerotina.*
16	594	— *ſpecioſa.*
—	549	— *abbreviata.*
—	549	— *amœna.*
18	655	— *americana.*
15	541	— *ariſtata.*
17	598	— *azurea.*
15	548	— *bicolor.*
—	545	— *bulbifera.*
8	265	— *bulbocodium.*
5	171	— *chinenſis.*
16	566	— *cinnamomea.*
17	607	— *columnaris.*
16	595	— *corymboſa.*
—	595	— *criſpifolia.*
6	184	I— *crocata.*
16	575	— *cruciata.*
17	622	— *deuſta.*
16	584	— *exciſa.*
17	606	— *exciſa.*
16	566	— *falcata.*
19	704	— *feneſtrata.*
15	523	— *fiſtuloſa.*
16	583	— *flabelliformis.*
15	522	— *flaccida.*
4	128	— *flexuoſa.*
17	622	— *gibba.*
16	570	— *gracilis.*
15	541	— *grandiflora*, α.
20	779	— *grandiflora*, β.
16	581	— *lancea.*
8	256	— *longiflora.*
19	695	— *longifolia.*
17	608	— *marginata.*
—	609	— *miniata.*
18	672	— *obtuſata.*
16	584	— *ovata.*
15	548	— *pentandra:*
16	553	— *plantaginea.*
—	583	— *punicea.*
17	597	— *puſilla.*
16	573	— *radiata.*
15	542	— *retuſa.*
17	598	— *Rochenſis.*
16	575	— *roſea*, β.
12	410	— *rubro-cyanea.*
17	597	— *ſecunda.*
16	581	— *ſimilis.*
—	549	— *ſpectabilis.*
—	581	— *ſqualida*, α.
14	487	— *ſqualida*, β.
11	381	— *tricolor.*
17	637	— *villoſa.*
—	621	— *villoſa.*
16	583	— *villoſa.*
5	169	Ixora coccinea.
10	331	Kalmia anguſtifolia.
5	177	——— glauca.
4	138	——— hirſuta.
5	175	——— latifolia.
20	775	Knowltonia veſicatoria.
19	735	Lachenalia anguſtifolia.
17	643	——————— lanceæfolia.
16	590	——————— pendula.
20	745	——————— purpuro-cærulea.
16	588	——————— quadricolor.
3	82	——————— tricolor.
20	766	——————— unifolia.
12	405	Lagerſtroemia indica.
20	769	Lagunæa Paterſonia.
—	769	——— *ſquamea.*

Vol.	Page	
5	172	Lamium Orvala.
3	96	Lantana aculeata.
16	595	Lapeyrouſia corymboſa.
17	606	——— *juncea*, eſt Anomatheca.
8	253	Lathyrus articulatus.
2	60	——— odoratus.
4	115	——— ſativus.
3	100	——— tingitanus.
4	111	——— tuberoſus.
12	401	Lavandula dentata.
—	400	——— pinnata.
4	109	Lavatera *althæifolia*.
15	517	——— thuringiaca.
4	109	——— trimeſtris.
2	46	Leucoium vernum.
1	36	Lilium bulbiferum.
8	278	——— candidum.
—	259	——— Cateſbæi.
1	30	——— chalcedonicum.
15	519	——— philadelphicum.
4	116	Limodorum tuberoſum.
12	403	Linum africanum.
7	234	——— arboreum.
9	312	——— flavum.
12	431	——— quadrifolium.
8	275	Liriodendron Tulipifera.
15	515	Lithoſpermum orientale.
—	514	Lobelia bicolor.
9	325	——— cardinalis.
17	644	——— coronopifolia.
20	741	——— gracilis.
7	225	——— ſurinamenſis.
17	640	Lonicera implexa.
3	80	——— *marilandica*.
20	781	——— ſempervirens.
8	254	Lopezia *racemoſa*.
—	254	——— mexicana.
10	336	Lotus hirſutus.
3	79	——— jacobæus.
5	151	——— tetragonolobus.
18	682	Lupinus arboreus.
4	140	——— luteus.
6	202	——— perennis.
11	394	Lychnis alpina.
8	257	——— chalcedonica.
7	223	——— coronata.
—	223	——— *grandiflora*.
11	361	Lycium japonicum.
—	361	——— *fœtidum*.
—	361	——— *indicum*.
3	104	Lyſimachia bulbifera.
—	104	——— ſtricta.
18	660	——— quadriflora.
11	390	Magnolia *diſcolor*.
—	390	——— purpurea.
10	353	Mahernia inciſa.
8	277	——— pinnata.
9	322	Manulea tomentoſa.
18	646	Marica *Cipura*.
12	416	——— martinicenſis.
18	654	——— Northiana.
—	646	——— paludoſa.
—	655	——— plicata.
19	701	——— ſtriata.
—	736	Maſſonia anguſtifolia.
16	554	——— enſifolia.
19	736	——— *lanceolata*.
16	559	——— muricata.
17	642	——— puſtulata.
—	622	——— *ſcabra*.
16	554	——— *violacea*.
14	500	*Mauhlia africana*.
16	554	——— *enſifolia*.
13	460	Maurandya ſemperflorens.
17	641	Melanthium eucomoides.
16	558	——— junceum.
19	694	——— ſpicatum.
16	558	——— *triquetrum*.
20	767	——— uniflorum.
17	615	Melaſphærula graminea.
15	529	Melaſtoma malabathrica.
9	301	Melianthus minor.
6	208	Meliſſa grandiflora.
18	658	Menianthes indica.
8	262	Meſembryanthemum aureum.
2	70	——— barbatum.
—	59	——— bicolorum.
1	32	——— dolabriforme.
13	448	——— micans.
2	67	——— pinnatifidum.
15	540	——— pomeridianum.
11	396	——— ſpectabile.
10	326	——— viridiflorum.
8	260	Metroſideros citrina.
—	260	——— *lanceolata*.
7	219	Michauxia Campanuloides.
9	302	Mimoſa myrtifolia.
4	110	——— verticillata.
10	354	Mimulus aurantiacus.
8	283	——— ringens.
11	371	Mirabilis Jalapa.
13	434	——— *viſcoſa*.
15	546	Monarda didyma.
5	145	——— fiſtuloſa.
11	385	Monſonia lobata.
3	73	——— ſpecioſa.
—	73	——— *grandiflora*.
20	759	Moræa criſpa.
17	613	——— edulis.
19	695	——— flexuoſa.
17	613	——— *fugax*.

Vol.	Page	
19	693	M—— iridioides.
—	712	—— longiflora.
20	750	—— papilionacea.
—	771	—— ramosa.
19	696	—— tricuspis, v. α.
5	168	—— tricuspis, v. β.
20	772	—— tricuspis, v. γ. lutea.
19	702	—— tripetala.
16	577	—— tristis.
—	593	—— unguiculata.
16	571	—— villosa.
—	587	—— viscaria.
5	171	—— *chinensis.*
18	654	—— *northiana.*
—	655	—— *palmifolia.*
15	532	—— *pavonia.*
18	655	—— *plicata.*
19	701	—— *serrata.*
16	577	—— *sordescens.*
15	520	—— *spiralis.*
16	577	—— *tricolor.*
19	693	—— *vegeta.*
5	157	Muscari botryoide.
4	133	—— comosum.
19	734	—— moschatum.
4	122	—— racemosum.
7	250	Myrtus tomentosa.
14	473	—— *brasiliana.*
6	193	Narcissus angustifolius.
—	197	—— biflorus.
3	88	—— Bulbocodium.
4	121	—— incomparabilis.
1	15	—— Jonquilla.
2	51	—— major.
1	6	—— minor.
3	78	—— odorus.
6	193	—— *poeticus.*
11	379	—— tenuior.
2	48	—— triandrus.
19	731	*Neudorffia peruviana.*
18	673	Nicotiana undulata.
1	22	Nigella Damascena.
19	731	Nolana prostrata.
18	684	Nymphæa advena.
16	552	—— cœrulea.
11	388	Œnothera anomala.
10	332	—— fruticosa.
11	365	—— longiflora.
10	355	—— pumila.
—	352	—— purpurea.
—	347	—— rosea.
13	468	—— tetraptera.
9	317	Ononis fruticosa.
10	329	—— Natrix.
—	335	—— rotundifolia.
9	338	*Orelia grandiflora.*

Vol.	Page	
20	784	Ophioxylum serpentinum.
—	784	—— *trifoliatum.*
9	298	Origanum Dictamnus.
6	190	Ornithogalum aureum.
19	728	—— arabicum.
8	269	—— nutans.
18	653	—— revolutum.
18	675	Orobus varius.
15	521	—— vernus.
18	675	—— *versicolor.*
9	306	Othonna pectinata.
20	768	—— pinnata.
7	237	Oxalis *caprina.*
—	237	—— cernua.
—	237	—— Pes Capræ.
5	155	—— versicolor.
13	434	Oxybathus viscosus.
19	718	Pancratium illyricum.
—	718	—— *stellare.*
2	97	Papaver orientale.
5	171	Pardanthus chinensis.
9	292	Passerina grandiflora.
2	66	Passiflora alata.
1	28	—— cœrulea.
8	288	—— ciliata.
18	651	—— ferratifolia.
3	103	Pelargonium acetosum.
5	148	—— betulinum.
6	201	—— bicolor.
9	315	—— ceratophyllum.
5	165	—— cordifolium.
14	477	—— crassicaule.
9	309	—— echinatum.
4	143	—— glutinosum.
20	761	—— incrassatum.
2	56	—— lanceolatum.
1	20	—— peltatum.
16	579	—— pinnatum.
15	524	—— pulchellum.
—	547	—— quinatum.
3	95	—— Radula.
14	493	—— reniforme.
12	413	—— ternatum.
4	136	—— tetragonum.
15	518	—— tomentosum.
7	240	—— tricolor.
17	620	*Pentapetes acerifolia.*
20	755	Pergularia minor.
—	760	Persoonia linearis.
17	628	Petræa volubilis.
11	391	Philadelphus coronarius.
20	783	Philydrum lanuginosum.
17	478	Phlomis Leonurus.
5	163	Phlox divaricata.
15	528	—— ovata.
12	415	—— setacea.

Vol.	Page	
16	563	Phlox ſtolonifera.
12	411	—— ſubulata.
3	82	*Phormium alb ides.*
16	590	—— *bulbiferum.*
7	224	Phylica ericoides.
14	469	Platylobium formoſum.
14	473	Plinia pedunculata.
7	230	Plumbago roſea.
8	279	Plumeria rubra.
15	509	Podalyria auſtralis.
20	753	—— biflora.
10	345	Polygala bracteolata.
9	316	—— Chamæbuxus.
10	340	—— Heiſteria.
14	492	—— oppoſitifolia.
6	213	Polygonum orientale.
8	286	Portlandia grandiflora.
3	75	Potentilla grandiflora.
17	603	Pothos cannæfolia.
—	603	—— *odorata.*
7	229	Primula acaulis, *var.* fl. pleno carneo.
12	399	—— cortuſoides.
11	392	—— longifolia.
6	191	—— marginata.
1	14	—— villoſa.
19	697	Protea anemonifolia.
18	649	—— cordata.
20	770	—— cynaroides.
18	674	—— Lepidocarpon.
10	346	—— mellifera.
19	698	—— Scolymus.
10	337	Prunella grandiflora.
13	446	Pſoralea bracteata.
18	665	—— corylifolia.
17	620	Pteroſpermum acerifolium.
5	160	Pulmonaria virginica.
14	475	Pulteneæa ſtipularis.
17	634	Punica nana.
20	778	Pyrola umbellata.
8	267	Pyrus ſpectabilis.
18	602	Pyrus japonica.
14	497	Quaſſia amara.
—	482	*Rafnia triflora.*
6	204	Ranunculus aconitifolius, *v.* fl. pleno.
—	215	—— acris, *v.* fl. pleno.
3	266	—— amplexicaulis.
5	164	—— gramineus.
11	386	—— parnaſſifolius.
1	29	Reſeda odorata.
14	488	Rhododendron Chamæciſtus.
17	636	—— dauricum.
18	650	—— ponticum.
14	471	—— *Rhodora.*
—	474	Rhodora canadenſis.
9	311	Robinia hiſpida.
16	560	—— glutinoſa.
11	378	Roëlla ciliata.
—	363	Roſa lutea.
2	69	—— muſcoſa.
12	407	—— provincialis, *v.*
8	284	—— ſemperflorens.
18	690	*Rothmannia capenſis.*
4	132	Rubus arcticus.
9	323	—— odoratus.
1	2	Rudbeckia purpurea.
6	182	Salvia aurea.
11	376	—— formoſa.
—	395	—— indica.
16	550	Samyda roſea.
—	550	—— *ſerrulata.*
5	162	Sanguinaria canadenſis.
19	739	Sanſeviera feſſiliflora.
20	780	Sarracenia flava.
5	154	Saponaria ocymoides.
6	196	Saxifraga craſſifolia.
10	351	—— mutata.
12	424	—— rotundifolia.
3	92	—— ſarmentoſa.
7	247	Scabioſa atropurpurea.
10	341	Scilla amæna.
20	746	—— bifolia.
4	127	—— campanulata.
18	663	—— italica.
20	749	—— peruviana.
4	142	Scorzonera tingitana.
17	635	Scutellaria grandiflora.
4	118	Sedum Anacampſeros.
6	211	—— populifolium.
—	186	Selago ovata.
2	68	Sempervivum arachnoideum.
15	507	—— globiferum.
3	93	—— Monanthes.
9	296	—— tortuoſum.
7	238	Senecio elegans.
—	218	*Sibthorpia peregrina.*
10	330	Sida criſtata.
18	677	Silene *bipartita.*
11	382	—— ornata.
4	114	—— pendula.
18	689	—— ſaxatilis.
—	677	—— veſpertina.
3	94	Siſyrinchium Bermudiana.
13	464	—— gramineum.
3	94	—— *Iridioides.*
18	655	*Siſyrinchium latifolium.*
—	655	—— *palmifolium.*
19	701	—— *ſtriatum.*
—	701	—— *ſpicatum.*
10	349	Solanum laciniatum.
2	49	Soldanella alpina.

Vol.	Page	
15	509	*Sophora auſtralis.*
20	753	——— *biflora.*
5	167	Sophora tetraptera.
15	548	Sparaxis bicolor.
—	545	——— bulbifera.
—	541	——— grandiflora, *v.* α.
20	779	——— grandiflora, *v.* β.
11	381	——— tricolor.
15	516	Sparmannia africana.
3	85	Spartium junceum.
18	683	——— monoſpermum.
3	80	Spigelia marilandica.
14	489	Spiræa trifoliata.
18	666	Stachys coccinea.
15	536	Stapelia Aſterias.
16	585	——— grandiflora.
15	506	——— lentiginoſa.
17	619	——— radiata.
19	724	——— revoluta.
1	26	——— variegata.
20	786	——— verrucoſa.
2	71	Statice ſinuata.
18	656	——— ſpecioſa.
4	119	Strelitzia Reginæ.
7	222	Struthiola erecta.
14	486	Syringa perſica.
6	183	——— vulgaris.
20	740	Tagetes lucida.
5	150	——— patula.
6	212	Tanacetum flabelliforme.
19	737	*Teganium procumbens.*
7	245	Teucrium latifolium.
15	532	Tigrida pavonia.
3	105	Tradeſcantia virginica.
19	722	Trichoſanthes anguina.
16	575	Trichonema cruciatum.
8	265	——— roſeum.
10	328	Trifolium incarnatum.
16	557	——— ſpadiceum.
14	470	Trillium erectum.
2	40	——— ſeſſile.
20	744	Tritoma media.
—	764	——— pumila.
—	758	——— uvaria.
14	501	——— *capenſis.*
17	618	Tritonia capenſis.
18	678	——— criſpa.
6	184	——— crocata.
17	622	——— deuſta.
19	704	——— feneſtrata.
14	487	——— lineata.
8	256	——— longiflora.
17	609	——— miniata.
11	383	——— ſecurigera.
16	581	Tritonia ſqualida.
7	235	Trollius aſiaticus.
1	23	Tropœolum majus.
3	98	——— minus.
14	500	*Tulbaghia.*
19	717	Tulipa breyniana.
8	281	Turnera anguſtifolia.
3	84	Tuſſilago alpina.
19	714	Valeriana ſibirica.
17	620	*Velarga Elylocarpa.*
14	501	Veltheimia capenſis.
—	501	*Veltheimia viridifolia.*
20	764	——— *pumila.*
—	744	——— *repens.*
—	758	——— *uvaria.*
7	236	Verbaſcum Myconi.
9	308	Verbena aubletia.
11	367	——— triphylla.
7	242	Veronica decuſſata.
2	38	Viburnum Tinus.
—	696	*Vieuſſeuxia glaucopis.*
19	696	——— *ariſtata.*
—	696	——— ſpiralis.
—	702	——— tripetaloides.
7	248	Vinca roſea.
15	535	Viola palmata.
3	89	——— pedata.
11	364	Vitex Negundo.
13	460	*Uſteria ſcandens.*
17	614	Wachendorſia hirſuta.
—	616	——— paniculata.
19	731	*Walkeria Ehreti.*
13	441	Watſonia aletroides, α.
15	533	——— aletroides, β.
17	601	——— brevifolia.
—	631	——— humilis.
—	600	——— iridifolia.
—	608	——— marginata.
12	418	——— meriana.
16	553	——— plantaginea.
15	537	——— roſeo-alba.
—	523	——— ſpicata.
12	420	Xeranthemum caneſcens.
—	414	——— fulgidum.
—	425	——— ſeſamoides.
20	763	——— ſeſamoides, *v.* γ. ſulphurea.
—	776	——— variegatum.
5	149	Zinnia multiflora.
15	527	——— elegans.
16	555	——— tenuiflora.
15	527	——— *violacea.*
11	372	Zygophyllum infuave.
19	731	*Zwingera.*

INDEX.

In which the *English Names* of the Plants contained in the firſt *Twenty Volumes* of the BOTANICAL MAGAZINE are alphabetically arranged.

Vol.	Page	
4	134	ADONIS, perennial or ſpring.
5	173	Aitonia, cape.
19	720	Albuca, leſſer.
10	338	Allamanda, willow-leaved.
14	503	Aliſpice, Carolina.
13	466	——— Japan.
5	161	Almond, dwarf.
13	455	Aloe, cuſhion.
—	457	——— fan.
15	513	——— partridge-breaſt.
20	757	——— ſoft-ſpined.
—	756	——— ſpider-footed-leaved.
—	765	——— ſpotted.
14	472	——— ſuccotrine.
4	139	Alſtrœmeria, ſpotted-flowerd.
—	125	——— ſtriped-flowered.
—	130	Alyſſum, bladder-podded.
12	419	——— mountain.
4	126	——— purple.
3	101	——— ſweet.
5	159	——— yellow.
8	239	Amaryllis, Atamaſco-lily.
9	305	——— Barbadoes-lily.
19	733	——— Belladonna-lily.
—	726	——— divaricate-petaled.
—	725	——— glaucous-leaved.
12	409	——— golden.
9	294	——— Guernſey-lily.
2	47	——— Jacobæa-lily.
18	661	——— long-leaved.
13	453	——— Mexican-lily.
18	657	——— netted-veined.
4	129	——— ſuperb.
11	369	——— waved-leaved.
9	290	——— yellow.
18	667	Andromeda, oval-leaved.
20	743	Androſace, hairy.
1	10	Anemone, Hepatica.
2	54	——— ſnow-drop.
4	123	——— ſtar.
13	439	Aniſeed-tree, red-flowered.
17	606	Anomatheca, cut-leaved.
9	318	Anthericum, Savoy or Bruno's Lily.
16	561	Antholyza, flag-leaved.
		Anthyllis, *vide* Kidney-Vetch.
18	692	Apple-tree, Japan.
8	267	——— Chineſe.
5	172	Archangel, balm-leaved.
15	544	Arctotis, Chamomile.
13	458	Ariſtea, graſs-leaved.
17	605	——— talleſt.
15	520	——— white-flowered.
10	339	Arum, three-lobed.
—	344	Aſpalathus, ſmall-leaved.
20	773	Aſphodel, yellow.
		Aſter, *vide* ſtar-wort.
15	530	Atragene, auſtrian.
19	716	——— cape.
5	180	Azalea, ſcarlet.
13	433	——— yellow.
16	583	Babiana, crimſon.
17	637	——— dark blue-flowered upright.
—	626	——— hyaciath-ſcented.
18	680	——— long-tubed.
12	410	——— red-blue.
16	576	——— ſweet-ſcented.
17	638	——— ſtiff-leaved.
—	621	——— upright.
6	208	Balm, great-flowered.
19	738	Bankſia, heath-leaved.
—	715	Bauera, madder-leaved.
11	372	Bean-caper, unpleaſant.
16	551	Bell-flower, azure.

Vol.	Page	
13	144	B——— canary.
20	782	——— cape.
4	117	——— carpatian or heart-leaved.
15	512	——— dwarf.
12	397	——— greateſt-flowered peach-leaved.
7	252	——— great-flowered.
18	691	——— ſlender.
—	759	——— ſiberian.
12	404	——— ſoft.
3	102	——— Venus's looking-glaſs.
19	700	Betony, great-flowered.
—	732	Bindweed, American great.
6	188	——— azure.
19	699	——— Egyptian.
9	289	——— narrow-leaved.
4	113	——— purple or Convolvulus major.
10	359	——— ſilky-leaved.
13	459	——— ſilvery-leaved.
1	27	——— trailing or Convolvulus minor.
3	79	Bird's-foot Trefoil, dark-flowered.
10	336	——— hairy.
5	151	——— winged.
15	534	Birthwort, broad-leaved.
15	521	Bitter-Vetch, early-flowerg.
18	675	——— particoloured.
3	81	Bladder-ſenna, common.
6	181	——— ſcarlet.
13	451	Blakea, three-ribbed.
8	276	Blite, ſtrawberry.
14	500	Blue-lily, African.
8	274	Borbonia, heart-leaved.
11	361	Boxthorn, Japaneſe.
4	132	Bramble, dwarf.
9	323	——— flowering.
13	442	Broom, flax-leaved.
3	85	——— ſpaniſh.
9	314	——— triangular-ſtalked.
18	683	——— white ſingle-ſeeded.
1	34	Browallia, tall.
		Bruno's Lily, *vide* Antheri-cum.
11	393	Brunſfelſia, American.
7	217	Buchnera, clammy.
18	658	Buck-bean, Indian.
5	174	Buddleia, round-headed.
—	153	Bulbocodium, vernal.
16	564	Cacalia, ſcarlet flowered.
		Campanula, *vide* bell-flower.
2	42	Camellia, Roſe.
4	124	Candy-tuft, Gibraltar.

Vol.	Page	
3	106	C——— purple.
9	291	Caper Shrub.
		Carnation, *vide* Pink.
		Cardinal-flower, *vide* Lobelia.
17	633	Caſſia corymbous.
3	107	——— dwarf.
9	293	Catananche, blue.
11	382	Catchfly, dark-coloured.
18	677	——— Morocco.
4	114	——— pendulous.
18	689	——— ſtone.
4	131	Cateſbæa, thorny, or Lily Thorn.
		Celſia, *vide* Hemimeris.
14	494	Centaury, cretan.
12	421	——— golden.
3	77	——— mountain.
2	62	——— woad-leaved.
19	737	Cerbera, oval-leaved.
1	17	Cereus, creeping.
11	364	Chaſte-tree, five-leaved.
		Chichling-Vetch, *vide* Lathyrus.
7	233	Chironia, berry-bearing.
19	707	——— croſs-leaved.
15	511	——— flax-leaved.
2	37	——— ſhrubby.
10	327	Chryſanthemum, Indian.
15	508	——— three-coloured.
7	249	Cineraria, blue, or Cape After.
12	406	——— purple-leaved.
2	53	——— woolly.
3	75	Cinquefoil, great-flowered.
17	627	Ciſtus algarvé.
8	264	—— beautiful.
4	112	—— Gum.
2	43	—— Hoary or Roſe.
		Clematis, *vide* Virgin's-bower
		Cockle, *vide* Roſe-Campion.
3	84	Coltsfoot, alpine.
7	246	Columbine, Canadian.
		Convolvulus, *vide* Bindweed.
5	156	Coreopſis, whorled.
15	526	Cornel, great-flowered.
3	86	Corn-flag, common.
11	383	——— copper-coloured.
10	343	——— Cunonia.
16	569	——— dwarf, Watſon's
17	625	——— faireſt.
16	591	——— fleſh-coloured.
17	610	——— large-flowered.
—	632	——— Miller's.
—	602	——— narrow-leaved.
18	645	——— pale-purple.
14	487	——— pencilled.
18	688	——— perfumed.

Vol.	Page	
16	567	C——— quadrangular.
—	574	——— roſe-coloured.
19	719	——— round-ſeeded.
16	562	——— ſlender.
—	556	——— ſmall changeable.
18	648	——— ſnow-white.
8	272	——— ſquare-leaved.
4	135	——— ſuperb.
16	582	——— tall.
—	592	——— thick-leaved.
19	727	——— variegated ſhaggy.
16	578	——— violet-ſcented.
13	450	——— Watſon's.
18	647	——— waved-flowered, α.
15	538	——— waved-flowered, β.
16	586	——— wing-flowered.
8	258	Coronilla, purple.
6	185	——— rue-leaved.
1	13	——— ſea-green or day-ſmelling.
1	12	Cowſlip, American.
6	206	Crane's-Bill, anemony-leaved
—	203	——— angular-ſtalked.
5	148	——— birch-leaved.
4	143	——— clammy.
1	18	——— dwarf.
15	547	——— five-fingered.
8	261	——— fleſh-coloured.
20	761	——— fleſhy-leaved.
5	165	——— heart-leaved.
9	315	——— horn-leaved.
1	20	——— ivy-leaved.
14	493	——— kidney-leaved.
15	524	——— none-ſuch.
—	518	——— pennyroyal.
16	579	——— pinnated.
9	309	——— prickly-ſtalked.
3	95	——— raſp-leaved.
11	377	——— Roman.
14	504	——— ſilver-leaved.
3	103	——— ſorrel.
2	56	——— ſpear-leaved.
4	136	——— ſquare-ſtalked.
2	55	——— ſtreaked.
12	413	——— ternate.
14	477	——— thick-ſtalked.
7	240	——— three-coloured.
6	201	——— two-coloured.
14	405	Craſſula, ſcarlet-flowered.
11	384	——— tree.
16	596	Crataeva, ſweet-ſcented.
20	755	Creeper, weſt-coaſt.
1	35	Crepis, bearded.
18	652	Crocus, cloth of gold.
2	45	——— common yellow.
14	490	Crotalaria, channel-ſtalked.
14	482	C——— three-flowered.
6	215	Crowfoot, double upright.
5	164	——— graſs-leaved.
6	204	——— mountain, or fair maids of France.
11	386	——— parnaſſia-leaved.
8	266	——— plantain-leaved.
		Crown Imperial, *vide* Fritillary.
13	452	Cuckow-flower, three-leaved.
		Cudweed, *vide* Gnaphalium.
16	568	Cyanella, purple-flowered.
1	4	Cyclamen, round-leaved.
2	44	——— Perſian.
11	374	Cyrilla, ſcarlet-flowered.
8	271	Cyrtanthus, narrow-leaved.
12	426	Cytiſus, leafy.
8	255	——— common.
2	51	Daffodil, great.
3	88	——— hoop-petticoat.
1	6	——— leaſt.
6	193	——— narrow-leaved.
4	121	——— peerleſs.
2	48	——— reflexed or ruſh-leaved.
11	379	——— ſlender.
6	197	——— two-flowered.
20	762	Dahlia, ſcarlet-flowered.
5	147	Dais, cotinus-leaved.
7	228	Daiſy, great double.
9	313	Daphne, trailing.
12	428	——— mountain.
1	19	Day-Lily, yellow.
2	64	——— tawny.
15	505	Dianella, blue.
13	449	Dillenia, ſhewy.
8	273	Dioſma, one-flowered.
13	456	——— ſaw-leaved.
7	218	Diſandra, trailing.
9	298	Dittany of Crete.
1	12	Dodecatheon, Mead's.
8	280	Dog's-bane, tutſan-leaved, or fly-catching.
1	5	Dog's-tooth, common.
11	380	Dolichos, purple.
6	214	Dragon's-head, toothed.
13	467	——— Virginian.
11	387	Epidendrum, aloe-leaved.
13	463	——— fringed-flowered.
15	543	——— hooded.
17	611	——— long-ſtalked.
16	572	——— purple-flowered.
20	777	——— ſpread-eagle.
5	152	——— ſweet-ſcented.
9	310	Erinus, alpine.
7	241	Fagonia, cretan.

Vol.	Page	
		Fairmaids of France, *vide* Crowfoot.
1	22	Fennel-flower, garden.
20	751	Ferraria, green-variegated.
15	532	——— Mexican.
4	144	——— curled-flowered.
2	70	Fig-Marigold, bearded.
13	448	——— glittering
8	262	——— golden.
15	540	——— great-yellow flowered.
10	326	——— green-flowered
1	32	——— hatchet-leaved
2	67	——— pinnated.
11	396	——— shewy.
2	59	——— two-coloured.
3	91	Flag, Chalcedonian.
11	373	—— Chinese.
12	412	—— crested.
8	669	—— Dingy.
1	9	—— dwarf.
6	187	—— Elder-scented.
18	671	—— florentine.
—	670	—— German.
—	681	—— grass-leaved.
—	685	—— pale.
1	21	—— particoloured.
—	1	—— Persian.
18	679	—— Portugal.
—	687	—— Pyrenean.
2	50	—— Siberian.
15	531	—— Snake's-head.
18	686	—— Spanish.
2	58	—— spurious.
—	61	—— tall.
1	16	—— variegated.
19	703	—— Virginian.
14	469	Flat-pea, large-flowered.
12	403	Flax, African.
—	431	—— four-leaved.
7	234	—— tree.
9	312	—— yellow.
		Flower of Constantinople, *vide* Lychnis.
20	785	Fly-trap, Venus's.
6	194	Fritillary, Crown-Imperial.
18	664	——— pyrenean.
3	97	Fuchsia, scarlet.
5	179	Fumitory, glaucous.
7	232	——— hollow-rooted.
—	231	——— solid-rooted.
20	754	Galax, Carolina.
18	690	Gardenia, sported-flowered.
19	708	Garland-flower, sweet-scented.
20	774	Garlick, hairy-leaved.

Vol.	Page	
7	251	G—— purple-headed.
14	499	——— yellow or Moly.
11	389	Gaura, biennial.
—	388	——— changeable.
16	584	Geissorhiza, dwarf
17	597	——— one-ranked.
—	598	——— plaid.
18	672	——— yellow-flowered.
19	723	Gentian, dwarf, Porcelain-flowered.
17	639	——— fringed-flowered.
2	52	——— large-flowered or Gentianella.
14	491	——— vernal.
19	705	——— upright Porcelain-flowered.
		Geranium, *vide* Crane's-bill.
7	245	Germander, broad-leaved shrubby.
14	479	Geropogon, smooth or old man's beard.
7	235	Globe-flower, asiatic.
8	268	Glycine, dingy-flowered.
8	263	——— purple.
—	270	——— scarlet.
9	300	Gnaphalium, Giant.
13	435	——— heath-leaved.
8	287	Goodenia, smooth.
18	668	Gordonia, smooth.
3	90	Gorteria, rigid-leaved.
19	734	Grape-hyacinth, musk.
5	157	——— sky-coloured.
4	122	——— starch-scented.
—	133	——— tassel-flowered
12	422	Grewia, elm-leaved.
15	515	Gromwell, yellow.
7	238	Groundsel, double purple.
12	429	Heath, Aiton's.
10	358	—— Arbutus-flowered.
12	423	—— articular.
10	342	—— blush-flowered.
14	484	—— ciliated.
13	447	—— Crowberry-leaved.
14	480	—— downy-flowered.
9	303	—— flask-flowered.
19	706	—— flesh-coloured long leaved.
16	580	—— glaucous.
6	189	—— great-flowered.
1	11	—— herbaceous.
7	220	—— Honey-wort-flowered.
10	356	—— Masson's.
14	471	—— Mediterranean.
17	612	—— nine-pin.
13	440	—— palid.
10	350	—— porcelain.

Vol.	Page	
11	366	H—— pyramidal.
—	362	—— recurved.
12	402	—— red-flowered tremulous.
14	481	—— rough-flowered.
13	443	—— ſticky-flowered.
14	483	Hebenſtretia, toothed.
8	282	Hedyſarum, creeping-rooted.
14	502	Heliconia, parrot-beaked.
—	496	Heliophila, club pointed.
1	8	Hellebore, black.
2	72	—— great three-leaved
1	3	—— winter.
20	748	Helonias, graſs-leaved.
—	747	—— ſpear-leaved.
		Hemerocallis, *vide* Day-Lily
6	210	Hemimeris, linear-leaved.
12	417	—— nettle-leaved.
3	87	Henbane, golden.
1	10	Hepatica, or Noble liverwort
9	299	Hermannia, alder-leaved.
—	304	—— Lavender-leaved.
—	307	—— Marſh-mallow-leaved.
16	573	Heſperantha, nodding-flowerd
—	566	—— ſickle-leaved
6	209	Hibiſcus, bladder or Venice Mallow.
5	158	—— China-roſe.
13	436	—— round-leaved ſhrubby.
10	360	—— ſuperb.
3	83	—— Syrian.
19	721	Hillia, long-tubed.
9	301	Honey-flower, ſmall.
20	781	Honeyſuckle, Great Trumpet.
17	640	—— Minorca.
10	333	Honey-wort, great.
12	427	Horſe-Shoe-Vetch, ſhrubby.
		Hortenſia, *vide* Hydrangea.
3	93	Houſeleek, cluſtered.
2	68	—— Cobweb.
15	507	—— globular.
9	296	—— gouty.
11	370	Houſtonia, blue-flowered.
13	438	Hydrangea, garden.
—	437	—— ſhrubby.
19	711	Hypoxis, creeping.
—	709	—— ſaw-leaved.
—	710	—— upright.
1	21	Jaſmin, common white.
13	461	—— yellow.
8	285	—— yellow Indian.
17	604	Jatropha, fiddle-leaved.
13	454	Indian-Reed, common.
20	742	Indigo, angular-ſtalked.
14	476	I—— long-ſpiked.
13	465	—— narrow-leaved
6	198	—— white-leaved.
1	15	Jonquil, common.
3	78	—— ſweet-ſcented, or great.
20	752	Ipomæa, prickly
7	221	—— ſcarlet.
—	244	—— winged-leaved.
		Iris, *vide* Flag.
10	325	Juſticia, dichotomous.
—	430	—— Peruvian.
15	432	—— ſcarlet-flowered.
5	171	Ixia, Chineſe.
16	522	—— crimſon.
8	265	—— crocus-leaved.
17	594	—— cup-flowered.
—	599	—— curled-leaved.
—	617	—— fleſh-coloured.
—	624	—— flexuoſe.
16	549	—— green ſtained.
4	127	—— hybrid.
17	629	—— lily of the valley ſcented
—	607	—— monadelphous.
15	529	—— orange-coloured.
16	589	—— ſalver-flowered.
—	570	—— ſlender.
15	542	—— ſquill-flowered.
17	630	—— variegated.
—	623	—— upright.
—	617	—— wire-ſtemmed.
5	169	Ixora, ſcarlet.
5	175	Kalmia, broad-leaved.
—	177	—— glaucous.
4	138	—— hairy.
10	331	—— narrow-leaved.
3	108	Kidney-Vetch, four-leaved.
18	676	—— prickly.
		Knapweed, *vide* Centaury.
20	775	Knowltonia, bliſtering.
5	176	Laburnum, common.
16	583	Lachenalia, four-coloured.
19	735	—— narrow-leaved.
20	766	—— one-leaved.
16	590	—— pendulous.
20	745	—— purple-blue.
17	643	—— ſpotted copperas-leaved.
3	82	—— three-coloured.
—	108	Lady's-finger.
6	192	Lady's-ſlipper, two-leaved.
—	216	—— white-petaled.
2	55	Ladies needle-work.
12	405	Lagerſtrœmia, Indian.
20	789	Lagunæa, Norfolk-Iſland.
3	96	Lantana, prickly.

Vol.	Page	
16	595	Lapeyrouſia, level-topped.
17	606	——— cut-leaved.
4	115	Lathyrus, blue-flowered or chichling-vetch.
8	253	——— jointed-podded.
2	60	——— purple, or ſweet-pea.
3	100	——— Tangier-pea.
4	111	——— tuberous.
—	109	Lavatera, annual.
15	517	——— great-flowered.
12	401	Lavender, pinnated.
—	400	——— toothed-leaved.
2	38	Lauruſtinus, common.
7	230	Leadwort, roſe-coloured.
6	183	Lilac, common.
14	486	—— Perſian.
8	259	Lily, Cateſby's.
1	30	—— Chalcedonian.
13	463	—— Mexican.
1	36	—— orange.
15	519	—— Philadelphian.
1	30	—— ſcarlet-martagon.
8	278	—— white.
		Lily, *vide* amaryllis.
		Lily-thorn, *vide* Cateſbæa.
4	116	Limodorum, tuberous-rooted.
17	644	Lobelia, bucks-horn.
9	320	——— ſcarlet, or cardinal-flower.
7	225	——— ſhrubby.
20	741	——— ſlender-ſtemmed.
15	514	——— ſpotted-flowered.
		Loblolly-bay, *vide* Gordonia.
3	104	Looſe-ſtrife, bulb-bearing or upright.
18	660	——— four-flowered.
8	254	Lopezia, mexican.
		Lotus, *vide* Bird's-foot-trefoil
		Love in a miſt, *vide* fennel-flower.
5	160	Lungwort, Virginian.
4	110	Lupin, common yellow.
6	202	—— perennial.
18	682	—— tree.
12	411	Lychnidea, awl-leaved.
16	568	——— creeping.
5	163	——— early-flowering.
12	415	——— fine-leaved.
15	528	——— ovate-leaved.
11	394	Lychnis, alpine.
7	223	——— Chineſe.
8	257	——— ſcarlet or flower of Conſtantinople.
		Madwort, *vide* alyſſum.
11	390	Magnolia, purple.
10	353	Mahernia, cut-leaved.
8	277	——— winged.
9	322	Manulea, woolly.
18	654	Marica, broad-ſtemmed.
—	646	——— marſh.
12	416	——— Martinico.
18	655	——— ſmall-flowered.
19	701	——— ſtreaked-flowered.
12	408	Marigold, bending-ſtalked.
		Marigold, French, *vide* tagetes
		Marigold, Chili, *vide* tagetes.
11	371	Marvel of Peru, common.
16	559	Maſſonia, prickly-leaved.
17	642	——— ſhagreen-leaved.
19	736	——— ſweet-ſcented.
16	554	——— trumpet-flowered.
13	460	Maurandya, climbing.
17	641	Melanthium, dwarf.
16	558	——— ruſh-like.
19	694	——— ſtar-flowered.
20	767	——— yellow-flowered
17	615	Melaſphærula, graſs-leaved.
15	529	Melaſtoma, cinnamon-leaved.
8	260	Metroſideros, harſh-leaved.
12	428	Mezereon, Neapolitan.
9	313	——— trailing.
7	219	Michauxia, rough-leaved.
		Mignonette, *vide* Reſeda.
14	498	Milfoil. woolly.
11	375	**Milk-vetch, Montpelier.**
9	316	Milk-wort, box-leaved.
10	340	——— heath-leaved.
14	492	——— oppoſite-leaved.
10	345	——— ſpear-leaved.
9	302	Mimoſa, myrtle-leaved.
4	110	——— whirl-leaved.
5	145	Monarda, crimſon.
15	546	——— ſcarlet, or Oſwego Tea.
8	283	Monkey-flower, narrow-leaved.
10	354	——— orange.
11	385	Monſonia, broad leaved.
3	73	——— large-flowered.
5	168	Moræa, azure-eyed.
16	587	——— bird-limed.
20	771	——— branching.
16	577	——— dull-coloured.
20	750	——— dwarf.
19	695	——— flexuoſe.
16	571	——— hairy.
—	593	——— long-clawed.
19	712	——— long-flowered.
17	613	——— long-leaved.
19	693	——— perennial-leaved.
20	759	——— ſhort-ſpathed.
19	702	——— three petal-like.

Vol.	Page	
19	696	M—— trident-petaled.
20	772	——— yellow trident-petaled
7	236	Mullein, borage-leaved.
—	250	Myrtle, woolly leaved.
		Narciſſus, *vide* Daffodil.
1	23	Naſturtium, great Indian.
3	98	——————— ſmall Indian.
1	7	Navel-wort, blue.
9	321	——————— round-leaved.
10	349	Night-ſhade, cut-leaved.
19	731	Nolana, trailing.
11	388	Œnothera, anomalous.
10	355	——————— dwarf.
11	365	——————— long-flowered.
10	352	——————— purple.
—	347	——————— roſe-coloured.
—	332	——————— ſhrubby.
13	468	——————— white-flowered.
		Oldman's-beard, *vide* Gero-pogon.
20	784	Ophioxylum, three-leaved.
		Orobus, *vide* Bitter-vetch.
4	118	Orpine, evergreen.
20	768	Othonna, pinnated.
9	306	——————— wormwood-leaved.
19	718	Pancratium, Illyrian.
5	171	Pardanthus, Chineſe.
9	292	Paſſerina, great-flowered.
8	288	Paſſion-flower, ciliated.
1	28	——————— common.
18	651	——————— notch-leaved.
2	66	——————— winged-ſtalk[d].
		Pea, *vide* lathyrus.
13	462	Pellitory of Spain.
7	248	Periwinkle, Madagaſcar.
6	213	Perſicaria, tall.
20	760	Perſoonia, linear-leaved.
17	628	Petræa, twining.
20	783	Philydrum, woolly.
14	478	Phlomis, lion's-tail.
7	224	Phylica, heath-leaved.
17	604	Phyſic-nut, fiddle-leaved.
9	319	Pimpernel, Italian.
2	39	Pink, Franklin's tartar.
1	25	—— Indian.
9	297	—— ſuperb.
6	205	—— Sweet-William.
14	473	Plinia, pedunculated.
8	279	Plumeria, red.
15	509	Podalyria, blue-flowered.
20	753	——————— two-flowered.
17	634	Pomegranate-tree, dwarf.
2	57	Poppy, eaſtern.
3	75	Potentilla, large-flowered.
17	603	Pothos, ſweet-ſcented.
8	286	Portlandia, great-flowered.
7	243	Prickly-poppy, Mexican.
12	399	Primroſe, cortuſa-leaved.
7	229	——————— double lilac.
11	392	——————— long-leaved.
1	14	——————— mountain.
6	191	——————— ſilver-edged.
20	770	Protea, artichoke-flowered.
18	674	——— black-flowered.
19	697	——— fork-leaved.
18	649	——— heart-leaved.
10	346	——— honey-bearing.
19	698	——— ſmall ſmooth-leaved.
18	665	Pſoralea, hazel-leaved.
13	446	——————— oval-ſpiked.
17	620	Pteroſpermum, maple-leaved.
5	162	Puccoon, Canada.
14	475	Pultenæa, ſcaly.
10	357	Quaking-graſs great.
14	497	Quaſſia, bitter.
		Ragwort, african, *vide* Othonna
9	323	Raſpberry, flowering.
1	29	Reſeda, ſweet-ſcented or Mignonette.
10	335	Reſt-harrow, round-leaved.
9	317	——————— ſhrubby.
10	329	——————— yellow-flowered.
17	636	Rhododendron, dotted-leaved
18	650	——————— purple.
13	488	——————— thyme-leaved
14	474	Rhodora, Canadian.
16	560	Robinia, clammy.
9	311	——————— rough-ſtalked.
19	730	Rocket, night-ſmelling.
11	378	Roella, prickly.
—	363	Roſe, auſtrian.
8	284	—— everblowing.
2	69	—— moſs.
12	407	—— pompone.
9	311	Roſe, acacia.
1	24	Roſe-campion, common.
9	295	——————— ſmooth-leaved
12	398	——————— umbelled.
1	2	Rudbeckia, purple.
2	45	Saffron, *vide* Crocus.
6	182	Sage, golden.
11	395	—— Indian.
—	376	—— ſhining-leaved.
16	550	Samyda, roſe-coloured.
5	162	Sanguinaria, Canadian or Puccoon.
19	739	Sanſeviera, Chineſe.
3	92	Saxifrage, Chineſe.
6	196	——————— oval leaved.
12	424	——————— round-leaved.
10	351	——————— ſaffron-coloured.
7	247	Scabious, ſweet.

Vol.	Page	
17	635	Scutellaria, large-flowered.
6	186	Selago, oval-headed.
10	337	Self-heal, great-flowered.
13	445	Senna, ſcorpion.
10	330	Sida, creſted.
20	780	Side-ſaddle-flower, yellow.
3	94	Siſyrinchium, broad-leaved.
13	464	——— graſs-leaved.
10	348	Slipper-wort, Fothergill's.
2	41	——— pinnated.
19	722	Snake-gourd.
		Snapdragon, *vide* Toad-flax.
2	46	Snow-flake, ſpring.
5	154	Soap-wort, Baſil.
2	49	Soldanella, alpine.
15	510	Solomon's-ſeal, leaſt.
5	167	Sophora, winged-podded.
		Sophora, *vide* Podalyria.
15	548	Sparaxis, ringent.
20	779	——— ſtreaked-flowered.
15	545	——— ſulphur-coloured.
11	381	——— three-coloured.
16	549	——— velvet-flowered.
15	516	Sparmannia, african.
7	242	Speedwell, croſs-leaved.
3	105	Spider-wort, virginian.
		Spigelia, *vide* Worm-graſs.
14	489	Spiræa, three-leaved.
10	341	Squil, Byzantine.
20	749	—— corymboſe.
18	663	—— Italian.
4	127	—— Spaniſh.
20	746	—— two-leaved.
18	666	Stachys, ſcarlet.
15	506	Stapelia, freckled.
16	585	——— great-flowered.
19	724	——— revolute-flowered.
15	536	——— ſtar-fiſh.
17	619	——— ſtarry.
1	26	——— variegated.
20	786	——— warty-flowered.
18	662	Star-hypoxis, yellow-flowered
6	190	Star of Bethlem, golden.
19	728	——— large-flowerd.
8	269	——— Neapolitan.
18	653	——— revolute-fld.
6	199	Starwort, alpine.
1	34	——— briſtly-leaved or dwarf.
10	334	St. John's-wort, Chineſe.
5	146	——— great-flowerd. or tutſan.
—	178	——— heath-leaved.
4	137	——— warty.
6	195	Stock, changeable.
19	729	—— dark-flowered.
5	166	S—— dwarf-annual.
6	211	Stonecrop, poplar-leaved.
2	63	Strawberry, one-leaved.
4	119	Strelitzia, canna-leaved.
—	120	
7	222	Struthiola, ſmooth.
1	35	Succory hawk-weed, purple-eyed.
7	227	Sun-flower, perennial.
6	205	Sweet William.
11	391	Syringa, common.
5	150	Tagetes, ſpreading or French marigold.
20	740	——— ſweet-ſcented, or Chili marigold.
6	212	Tanſy, fan-leaved.
18	656	Thrift, plantain-leaved.
2	71	—— ſcollop-leaved.
15	532	Tiger-flower, Mexican.
6	207	Toad-flax, alpine.
—	200	——— branching.
16	368	——— clammy.
3	74	——— melancholy.
—	99	——— purple.
15	525	——— three-bird-bearing.
9	324	——— three-leaved.
18	673	Tobacco, New-Holland.
16	557	Trefoil, bay-coloured.
10	328	——— crimſon.
16	575	Trichonema, channel-leaved.
8	265	——— roſe-coloured.
2	40	Trillium, ſeſſile-flowered.
14	470	——— upright.
20	744	Tritoma, glaucous-leaved.
—	764	——— leſſer.
—	758	——— ſerrulate-leaved.
17	622	Tritonia, copper-coloured.
18	678	——— curled-leaved.
11	383	——— hatchet-flowered.
17	609	——— late-flowering.
8	256	——— long-tubed.
17	618	——— long-tubed.
19	704	——— open-flowered.
14	487	——— pencilled.
6	184	——— ſaffron-coloured.
16	581	——— ſweet-ſcented.
14	485	Trumpet-flower, aſh-leaved.
19	717	Tulip, Cape.
8	275	Tulip-tree, common.
—	281	Turnera, narrow leaved.
4	141	Turnſole, Peruvian.
		Tutſan, *vide* St. John's-wort.
19	714	Valerian, Siberian.
14	501	Veltheimia, waved-leaved.
		Venus's looking-glaſs, *vide* bell-flower.

Vol.	Page	
9	308	Vervain, roſe.
11	367	——— three-leaved.
3	89	Violet, cut-leaved.
15	535	——— palmated.
4	142	Vipers-graſs, poppy-leaved.
15	530	Virgin's-bower, Auſtrian.
2	65	——————— entire-leaved.
16	565	——————— purple.
13	434	Umbrella-wort, viſcid.
7	226	Wall-creſs, alpine.
6	195	Wall-flower, changeable.
17	614	Wachendorfia, hairy.
—	616	——————— panicled.
16	552	Water-lily, blue.
18	684	——————— three-coloured.
15	533	Watſonia, aletris-like.
13	441	——————— dwarf.
15	523	——————— hollow-leaved.
17	631	——————— lake-coloured.
—	608	——————— long-ſpiked.
15	537	——————— long-tubed.
12	418	W——— Merian's.
17	600	——————— ſcarlet flag-leaved.
—	601	——————— ſhort-leaved.
16	553	——————— ſmall-flowered.
19	713	Whitlow-graſs, mountain.
5	170	——————— ſengreen.
3	76	Willow-herb, narrow-leaved.
20	778	Winter-green, umbelled.
7	237	Wood-ſorrel, nodding-flowd.
5	155	——————— ſtriped-flowerd.
3	80	Worm-graſs, Maryland.
20	776	Xeranthemum, brown-tipped
12	420	——————— elegant.
—	414	——————— great yellow-flowered.
20	763	——————— ſtraw-colourd
12	425	——————— ſuperb.
5	149	Zinnia, many-flowered.
16	555	——— ſlender-flowered.
15	527	——— violet-coloured.

An ENUMERATION of the Plants figured in the firſt Twenty Volumes of the BOTANICAL MAGAZINE*.

Volume	*Faſciculus*†	*Number*	
I. Feb. 1787.	1	1	IRIS perſica.....Perſian Iris, or Flag. That the ſenſe of ſmelling, with regard to agreeable and diſagreeable, is very various in different perſons, the experience of every day proves; but it appears more extraordinary, that there are certain odours, which whilſt they ſeem powerful to the organs of one perſon are not at all perceptible by thoſe of another, in whom the ſenſe of ſmelling with reſpect to other ſubſtances is not leſs acute. We know no flower that illuſtrates this remark ſo well as the Perſian Iris, which to ſome perſons is ſo powerfully fragrant, that a ſingle plant, when expoſed to the rays of the ſun, will ſenſibly perfume a whole apartment, and yet to many, perhaps to nearly an equal number, it is abſolutely ſcentleſs; at the ſame time, odours ſuppoſed by the former to be much weaker are readily perceived by the latter, as we have repeatedly experienced.
		2	Rudbeckia purpurea.....Purple Rudbeckia.
		3	Helleborus hyemalis ....Winter Hellebore, or Aconite.
March	2	4	Cyclamen Coum .....Round-leaved Cyclamen.
		5	Erythronium Dens Canis. Dogs-tooth, or Dogs-tooth Violet.
		6	Narciſſus minor .....Leaſt Daffodil.

* Such an Enumeration as this, denoting the order and the time of publication, is not altogether uſeleſs, even to thoſe who bind up their volumes in the ſame order; but to thoſe who chooſe to arrange the work ſyſtematically, muſt be indiſpenſable; for, when the numerical order is diſturbed, without ſuch a guide all reference to numbers becomes unintelligible. Another motive for giving it here has been, the opportunity it affords of correcting ſome errors, which in ſo extenſive a work have unavoidably crept in, of adopting ſuch changes in the nomenclature as have been made in the progreſs of the ſcience, and of making ſome uſeful additions. It is proper to remark, that the names given in this Enumeration are either thoſe which are in moſt uſe amongſt Botaniſts of the firſt authority, particularly ſuch as are adopted in the Hortus Kewenſis and Willdenow's Species Plantarum, or thoſe which have been neceſſarily changed as the genera have become better aſcertained. Where theſe are different from thoſe adopted at the time of publication the latter are repeated within brackets. With reſpect to the Engliſh names, thoſe are here given which are in moſt general uſe, but without noting the changes made; the almoſt univerſal cuſtom of uſing the Botanical names having rendered the Engliſh ones of leſs importance.

† To avoid confuſion, we uſe the word *Faſciculus*, to denote the quantity publiſhed at one time: and when *Number* is referred to, it always means the number of the plate or the text accompanying it.

Vol.	*Fasc.*	*No.*	
1.	3	7	Cynogloſſum Omphalodes...Blue Navel-wort.
April		8	Helleborus niger .....Black Hellebore, or Chriſtmas Roſe.
		9	Iris pumila.....Dwarf Flag.
May	4	10	Anemone Hepatica .....Hepatica, or Noble Liver-wort
		11	Erica herbacea .....Herbaceous Heath.
		12	Dodecatheon Meadia.....Mead's Dodecatheon, or American Cowſlip.
June	5	13	Coronilla glauca .....Sea-green or Day-ſmelling Coronilla.
		14	Primula villoſa.....Mountain Primroſe.
		15	Narciſſus Jonquilla .....Common Jonquil.
		16	Iris variegata.....Varigated Flag.
July	6	17	Cactus flagelliformis .....Creeping Cereus.
		18	Erodium *Chamedryoides* ....Dwarf Crane's-bill. [Geranium *Richardi.*]

It was after the publication of this number, that L'Heritier's Geraniologia firſt appeared, in which work that eminent Botaniſt divided the overgrown genus of Geranium into three, under the names of Erodium, Pelargonium, and Geranium, as had been before propoſed by Prof. Burman. As this diviſion, though not adopted by either Juſſieu or Schreber, in their reſpective works on the Genera Plantarum, is at preſent, from the example and authority of the Hortus Kewenſis, generally followed in this country and alſo on the continent, we ſhall here give the generic and ſpecific characters of this plant from the latter work.

Generic Character.—*Cal.* 5-phyllus. *Cor.* 5-petala. *Nect.* ſquamulæ 5 cum filamentis alternantes; et glandulæ melliferæ baſi ſtaminum inſidentes. *Fructus* 5-coccus, roſtratus: roſtra ſpiralia introrſum barbata.

Specific Character.—ERODIUM *chamædryoides*; ſubacaule, pedunculis unifloris; foliis cordatis obtuſis crenatis. *L'Herit. n.* 31. *t.* 6. *Hort. Kew. v.* 2. *p.* 416.

Auguſt	7	19	Hemerocallis flava .....Yellow Day Lily.

If the obſervation of Miſs Ann Welch, recorded in the ſecond volume of the Tranſactions of the Linnæan Society ſhould be confirmed by future experience, there will remain no doubt but that this plant is a mere accidental variety of Hemerocallis fulva, No. 64, but we cannot believe but that there muſt have been ſome miſtake.

		20	Pelargonium peltatum .....Ivy-leaved Crane's-bill. [Geranium peltatum.]

Another of L'Heritier's diviſions of the old genus Geranium, containing moſt of the African ſpecies. This number ſhould be corrected as follows:

Generic Character.—*Cal.* 5-partitus: lacinia ſuprema deſinente in tubulum-capillarem, nectariferum, ſecus pedunculum decurrentem. *Cor.* 5-petala, irregularis. *Filam.* 10, inæqualia: quorum 3 (raro 5) caſtrata. *Fructus* 5-coccus, roſtratus: roſtra ſpiralia, introrſum barbata.

Specific Character.—PELARGONIUM *peltatum*; umbellis pauciflоris, quinquelobis integerrimis carnoſis peltatis, ramis angulatis. *L'Herit. n.* 73. *Hort. Kew.* 2. *p.* 427.

		21	Iris verſicolor.....Particoloured Flag.

Vol.	*Fasc.*	*No.*	
I. Sept.	8	22	Nigella damascena.....Garden Fennel-flower, or Love in a Mist.
			The synonym of Parkinson belonging to Nigella hispanica ought to be omitted here, and *Miller Icon.* 187. *f.* 2. may be inserted in its stead.
		23	Tropæolum majus.....Greater Indian Cress, or Nasturtium.
		24	Agrostemma Coronaria.....Common red Rose Campion, or Cockle.
Oct.	9	25	Dianthus chinensis.....Chinese or Indian Pink.
		26	Stapelia variegata.....Variegated Stapelia.
		27	Convolvulus tricolor.....Trailing Bindweed, or Convolvulus minor.
Nov.	10	28	Passiflora cærulea.....Common Passion-flower.
		29	Reseda odorata.....Sweet-scented Reseda, or Mignonette.
		30	Lilium chalcedonicum.....Scarlet Martagon Lily.
Dec.	11	31	Jasminum officinale.....Common white Jasmine. Vahl. Enum. 3.
		32	Mesembryanthemum dolabriforme..... } Hatchet-leaved Fig-Marigold.
		33	Aster tenellus.....Bristly-leaved or dwarf Starwort.
Jan. 1788.	12	34	Browallia elata.....Tall Browallia.
		35	Crepis barbata.....Bearded Crepis, or Purple-eyed Succory-Hawkweed.
		36	Lilium bulbiferum.....Orange Lily.
II. Feb.	13	37	Chironia fruteſcens.....Shrubby Chironia.
		38	Viburnum Tinus.....Common Lauruſtinus.
		39	Dianthus caryophyllus, *v.* flore pleno } Franklin's Tartar Carnation.
March	14	40	Trillium ſeſſile.....Seſſile-flowered Trillium.
		41	Calceolaria pinnata.....Pinnated Slipper-wort.
		42	Camellia japonica.....Roſe Camellia.
April	15	43	Ciſtus incanus.....Hoary or Roſe Ciſtus.
		44	Cyclamen perſicum.....Perſian Cyclamen.
		45	Crocus mæſiacus.....Common yellow Crocus. [Crocus vernus.]

For the reaſon of the change made in this name, conſult No. 652, and Annals of Botany, v. 1. p. 222. and make the following alteration in the

Specific Character and Synonyms.

CROCUS *mæſiacus* bulbo-tubere grandiore polyantho, tunicis obtecto badiis fibroſo-membranaceis; ore tubi nudo, antheris ſtigmata nonnihil excedentibus. *G.*

CROCUS vernus luteus ſive mæſiacus. *Park. Par.* 166. *t.* 169. *f.* 1. C. vernus latifolius flavo flore. *Cluſ. Hiſt.* 205.

According to Cluſius, this ſpecies was firſt brought into Germany about the year 1579 from the environs of Belgrade, by one of the ſuite of an Imperial Embaſſy, on its return to Vienna from Conſtantinople. *G.*

May	16	46	Leucojum vernum.....Spring Snow-flake.
		47	Amaryllis formoſiſſima.....Jacobea Lily.
		48	Narciſſus triandrus.....Reflexed or Ruſh-leav^d. Daffodil
June	17	49	Soldanella alpina.....Alpine Soldanella.
		50	Iris ſibirica.....Siberian Flag.

Vol.	*Fasc.*	*No.*	
II.	17	51	Narcissus bicolor.....Great Daffodil. [N. major.]
July	18	52	Gentiana acaulis .....Large-flowered Gentian, or Gentianella.
		53	Cineraria lanata.....Woolly Cineraria.
		54	Anemone sylvestris .....Large white-flowered Wood Anemone.
August	19	55	Geranium striatum .....Streaked Crane's-bill, or Lady's Needle-work.
		56	Pelargonium glaucum .....Spear-leaved Crane's-bill. [P. lanceolatum.]

Notwithstanding that Cavanille's name of *lanceolatum* was adopted in preference to that of *glaucum*, yet as this has not been followed by others, and the latter has been admitted to the Hortus Kewensis and Willdenow's Species Plantarum, we submit to such authorities. To the synonyms should be added, Geranium lanceolatum. *Cavan. Diss.* 4. *p.* 235. *t.* 102. *f.* 2. *Diss.* 5. *p.* 271.

		57	Papaver orientale.....Eastern Poppy.
Sept.	20	58	Iris spuria .....Spurious Flag.
		59	Mesembryanthemum bicolorum ..... Two-coloured Fig-Marigold.
		60	Lathyrus odoratus .....Purple Sweet-pea or Vetchling.
Oct.	21	61	Iris ochroleuca.....Tall Flag.
		62	Centaurea glastifolia .....Woad-leaved Centaury.
		63	Fragraria monophylla .....One-leaved Strawberry, or Strawberry of Versailles.
Nov.	22	64	Hemerocallis fulva .....Tawny Day-Lily.
		65	Clematis integrifolia .....Entire-leaved Virgin's-Bower.
		66	Passiflora alata.....Winged-stalked Passion-flower.
Dec.	23	67	Mesembryanthemum pinnatifidum ..... Pinnated Fig-Marigold.
		68	Sempervivum arachnoideum .Cobweb House-leek.
		69	Rosa muscosa .....Moss Rose.
Jan. 1789.	24	70	Mesembryanthemum barbatum ..... Bearded Fig-Marigold.
		71	Statice pinnata.....Scollop-leaved Thrift.
		72	Helleborus lividus .....Great three-leaved black Hellebore.
III. Feb.	25	73	Monsonia speciosa.....Large-flowered Monsonia.

Cavanilles has removed this genus from Polyadelphia to Monadelphia Dodecandria, an amendment now generally adopted, and fortunately it is thus brought into the same class with most of the other Gruinales or Gerania.

		74	Antirrhinum triste .....Melancholy or black-flowered Toad-Flax.
		75	Potentilla grandiflora .....Great-flowered Cinque-foil.
March	26	76	Epilobium angustissimum.....Narrowest leaved Willow-herb
		77	Centaurea montana .....Mountain Centaury, or greater Blue-bottle.
		78	Narcissus odorus .....Sweet-scented or great Jonquil.
April	27	79	Lotus jacobæus .....Dark-flowered Bird's-foot-Trefoil.

This plant sometimes occurs with yellow flowers and is then called in the nurseries Lotus hybridus, but is a mere seminal variety.

Vol.	*Fast.*	*No.*	
III.	27	80	Spigelia marilandica .....Maryland Spigelia, or Worm-Grass.
		81	Colutea arborescens.....Common Bladder-senna.
May	28	82	Lachenalia tricolor .....Three-coloured Lachenalia.
		83	Hibiscus syriacus.....Syrian Hibiscus, or Althæa Frutex.
		84	Tussilago alpina.....Alpine Coltsfoot.
June	29	85	Spartium junceum .....Spanish Broom.
		86	Gladiolus communis .....Common Corn-flag.
			Consult No. 719 of this work.
		87	Hyoscyamus aureus .....Golden-flowered Hen-bane.
July	30	88	Narcissus Bulbocodium .....Hoop-Petticoat Daffodil.
		89	Viola pedata .....Cut-leaved Violet.
			The whole order of Syngenesia Monogamia is now generally abolished and the genera removed to other classes, by which alteration Viola is added to Pentandria Monogynia, unluckily the largest order in the system; but it, by these means, associates with plants with which it has a nearer natural affinity.
		90	Gorteria rigens .....Rigid-leaved Gorteria.
August	31	91	Iris susiana.....Chalcedonian Flag.
		92	Saxifraga sarmentosa.....China Saxifrage.
		93	Sempervivum monanthes....Clustered House-leek.
Sept.	32	94	Sisyrinchium Bermudiana ...Broad-leaved Sisyrinchium. [Sisyrinchium iridioides.]
			Sisyrinchium Bermudiana of Hortus Kewensis is the gramineum.—The perusal of what is said at No. 464, and Annals of Botany, v. 1. p. 216. will explain the change of name.
		95	Pelargonium Radula .....Rasp-leaved Crane's-bill. [Geranium Radula.] *Vide Enum.* No. 20.
		96	Lantana aculeata .....Prickly Lantana.
Oct.	33	97	Fuchsia coccinea .....Scarlet Fuchsia.
		98	Tropæolum minus.....Small Indian Cress or Nasturtium.
		99	Antirrhinum purpureum ....Purple Toad-flax.
Nov.	34	100	Lathyrus tingitanus.....Tangier Pea.
		101	Alyssum maritimum .....Sweet Alyssum. [Alyssum halimifolium.]
			In this instance Mr. Curtis has been led into an error by following an authority which will rarely indeed mislead, such is the extraordinary accuracy of the Hortus Kewensis. This figure represents the Clypeola maritima of Linnæus; in Willdenow's edition of the Species Plantarum removed to the genus Alyssum, to which Linnæus observes it might be joined, as it differs only in having toothless filaments. The specific character may remain as it is, but the synonyms, except that of Hortus Kewensis, should be cancelled and in their place added *Willd. Spec. Pl.* 3. 459. where the other synonyms are collected, and need not be repeated here.
		102	Campanula Speculum .....Venus's Looking-glass.
Dec.	35	103	Pelargonium acetosum .....Sorrel Crane's-bill.
		104	Lysimachia stricta .....Upright or Bulb-bearing [L. bulbifera.] Loose-strife.
		105	Tradescantia virginica.....Virginian Spider-wort.

Vol.	*Fasc.*	*No.*	
III.	36	106	Iberis umbellata .....Purple Candy-tuft.
Jan.		107	Cassia Chamæcrista .....Dwarf Cassia.
1790.		108	Anthyllis tetraphylla.....Four-leaved Kidney-Vetch.
IV.	37	109	Lavatera trimestris.....Annual Lavatera.
Feb.		110	Mimosa verticillata.....Whorl-leaved Mimosa.
		111	Lathyrus tuberosa .....Tuberous Lathyrus.
March	38	112	Cistus ladaniferus .....Gum Cistus.
		113	Convolvulus purpureus .....Purple Bindweed, or Convolvulus major.
		114	Silene pendula .....Pendulous Catch-fly.
April	39	115	Lathyrus sativus .....Blue-flowered Lathyrus or Chickling-Vetch.
		116	Limodorum tuberosum .....Tuberous-rooted Limodorum.
		117	Campanula carpatica.....Carpatian or heart leaved Bell-flower.
May	40	118	Sedum Anacampseros .....Evergreen Orpine.
		119 120	} Strelitzia Reginæ.....Canna-leaved Strelitzia.
June	41	121	Narcissus incomparabilis ....Peerless Daffodil.
		122	Muscari racemosum.....Starch-scented Grape-Hyacinth. [Hyacinthus racemosus.]
		123	Anemone hortensis .....Star Anemone.
July	42	124	Iberis gibraltarica .....Gibraltar Candy-tuft.
		125	Alstrœmeria Ligtu .....Striped-flowered Alstrœmeria.
			——— caryophyllæa. *Hort. Schoenb. v.* 4. *inedit.*
		126	Alyssum deltoideum .....Purple Alyssum.
August	43	127	Scilla campanulata .....Spanish Squil.
			In some copies the letter-press is numbered by mistake 128.
		128	Ixia hybrida.....Hybrid Ixia.
			[I. flexuosa.]
			The real Ixia flexuosa is figured No. 624, which see.
			The letter-press in some copies is by mistake numbered 127.
		129	Amaryllis vittata.....Superb Amaryllis.
Sept.	44	130	Alyssum utriculatum .....Bladder-podded Alyssum or Mad-wort.
		131	Catesbæa spinosa.....Thorny Catesbæa, or Lily-thorn.
		132	Rubus arcticus.....Dwarf Bramble.
Oct.	45	133	Muscari comosum.....Tassel-flowered Grape-Hyacinth.
			[Hyacinthus comosus.] Vide No. 734.
		134	Adonis vernalis .....Perennial or Spring-Adonis.
		135	Gladiolus cardinalis.....Superb Corn-flag.
Nov.	46	136	Pelargonium tetragonum....Square-stalked Crane's-bill.
		137	Hypericum balearicum .....Warty St. John's-wort.
		138	Kalmia hirsuta.....Hairy Kalmia.
Dec.	47	139	Alstrœmeria Pelegrina.....Spotted-flowered Pelegrina.
		140	Lupinus luteus .....Common yellow Lupin.
		141	Heliotropium peruvianum...Peruvian Turnsole.
Jan.	48	142	Scorzonera tingitana .....Poppy-leaved Viper's-grass.
1791.		143	Pelargonium glutinosum....Clammy Crane's-bill.
		144	Ferraria undulata .....Curled-flowered Ferraria.
			For a more particular generic character consult No. 751.

Vol.	Fasc.	No.	
V. Feb.	49	145	Monarda fistulosa, v. coccinea, Crimson Monarda. Vahl. Enum. p. 217.
		146	Hypericum calycinum.....Great-flowered St. John's-wort or Tutsan.
		147	Dais cotinifolia.....Cotinus-leaved Dais.
March	50	148	Pelargonium betulinum.....Birch-leaved Crane's-bill.
		149	Zinnia multiflora.....Many-flowered Zinnia.
		150	Tagetes patula.....French Marigold.
April	51	151	Lotus tetragonolobus.....Winged Lotus.
		152	Epidendrum fragrans.....Sweet-scented Epidendrum. [Epid. cochleatum.] The true E. cochleatum is figured at No. 572, which consult. Mr. Curtis not having, at the time of the publication of this, ever seen the cochleatum in flower, though the plant had been some time in our gardens, supposed this to be the same, and that its coming up with only one leaf was owing to an accidental mutilation, having never observed it otherwise than with two; but the fragrans has only one leaf, and the second in the figure has been added by mistake.
		153	Bulbocodium vernum.....Vernal Bulbocodium.
May	52	154	Saponaria ocymoides.....Basil Soap-wort.
		155	Oxalis versicolor.....Striped-flowered Wood-sorrel.
		156	Coreopsis verticillata.....Whorled Coreopsis. There are two varieties of this plant common in our gardens; the smaller sort, seldom reaching the height of two feet, is better adapted to the flower garden, of which, from the brilliancy of its flowers and the delicacy of its foliage, it is a desirable inmate.
June	53	157	Muscari botryoides.....Sky-colour'd Grape-Hyacinth. [Hyacinthus botryoides.] *Vide* No. 734.
		158	Hibiscus Rosa sinensis.....China-Rose Hibiscus.
		159	Alyssum saxatile.....Yellow Alyssum.
July	54	160	Pulmonaria virginica.....Virginian Lung-wort.
		161	Amygdalus Nana.....Dwarf Almond.
		162	Sanguinaria canadensis.....Canadian Sanguinaria, or Puccoon.
August	55	163	Phlox divaricata.....Early-flowering Lychnidea.
		164	Ranunculus gramineus.....Grass-leaved Crow-foot.
		165	Pelargonium cordifolium.....Heart-leaved Crane's-bill.
Sept.	56	166	Cheiranthus maritimus.....Dwarf Annual Stock.
		167	Sophora tetraptera.....Winged-podded Sophora.
		168	Moræa tricuspis, *var.* β.....Azure-eyed Moræa. [Iris Pavonia.] That this was not the Iris Pavonia of Thunberg, Mr. Curtis suspected at the time of publication, but, struck with the similarity of the eye at the base of the petal to that in the peacock's wing, he seemed to think it impossible that the name could be so applicable to any other species. Consult No. 696, and Annals of Botany, v. 1. p. 238.
Oct.	57	169	Ixora coccinea.....Scarlet Ixora.
		170	Draba aizoides.....Sempreen Whitlow-grass.
		171	Pardanthus chinensis.....Chinese Pardanthus. [Ixia chinensis.] *Generic Character.*—*Inflorescentia* fasciculata. *Cor.* sexpartita, regularis, æqualis, stellato-explanata. *Stam.* recta, aliquantulum inclinata, divergentia: Antheræ subconflexæ.

Vol.	*Fasc.*	*No.*	
			Pist. his subæquale: *Stigm.* 3, involutim et cucullatim complicata, bilabiata imminuto petaliformia. *Sem.* plurima, biserialia, baccata, globosa, receptaculo centrali libero annexa. *G.* Vide Annals of Botany, v. 1. p. 416.
V.	58	172	Lamium Orvala.....Balm-leaved Archangel.
Nov.		173	Aitonia capensis.....Cape Aitonia.
		174	Buddleia globosa.....Round-headed Buddleia.
Dec.	59	175	Kalmia latifolia.....Broad-leaved Kalmia.
		176	Cytisus Laburnum.....Common Laburnum.
		177	Kalmia glauca.....Glaucous Kalmia.
			This ought to have been numbered 176, and Cytisus Laburnum 177. Otherwise the letter-press becomes awkwardly divided.
Jan.	60	178	Hypericum Coris.....Heath-leaved St. John's-wort.
1792.		179	Fumaria glauca.....Glaucous Fumitory.
		180	Azalea nudiflora, *v.* coccinea.Scarlet Azalea.
VI.	61	181	Colutea fruteſcens.....Scarlet Bladder-senna.
Feb.		182	Salvia aurea.....Golden Sage.
		183	Syringa vulgaris.....Common Lilac.
			The quotation from Gerard, referring to the smell, belongs to Philadelphus coronarius, No. 391, which, both by him and Parkinson, is called Syringa, and this circumstance led to the mistake. Mr. Curtis's correction of this error, published soon after, being printed on a slip of paper, it is apprehended, may have been frequently neglected by the book-binders.
March	62	184	Tritonia crocata.....Saffron-coloured Tritonia.
			[Ixia crocata.] Vide No. 581 and 609; also, Annals of Botany, v. 1. p. 225.
		185	Coronilla valentina.....Rue-leaved Coronilla.
		186	Selago ovata.....Oval-headed Selago.
April	63	187	Iris sambucina.....Elder-scented Flag.
			Vide No. 685.
		188	Convolvulus Nil.....Azure Convolvulus.
		189	Erica grandiflora.....Great-flowered Heath.
May	64	190	Ornithogalum aureum.....Golden Star of Bethlehem.
			Willdenow, who has adopted our name, makes three other varieties, viz. the miniatum, flavescens, and flavimum, of Jacquin.
		191	Primula marginata.....Silver-edged Primula.
		192	Cypripedium acaule.....Two leaved Lady's-Slipper.
June	65	193	Narcissus angustifolius.....Narrow-leaved Narcissus.
			——— majalis.....biflorus. Vide No. 197.
			The angustifolius only is here figured.
		194	Fritillaria Imperialis.....Crown-Imperial.
		195	Cheiranthus mutabilis.....Changeable Wall-flower, or Broad-leaved shrubby stock.
July	66	196	Saxifraga crassifolia.....Oval-leaved Saxifrage.
		197	Narcissus biflorus.....Two-flowered Narcissus.
		198	Indigofera candicans.....White-leaved Indigo.
August	67	199	Aster alpinus.....Alpine Star-wort.
		200	Antirrhinum sparteum.....Branching Toad-flax.
		201	Pelargonium bicolor.....Two-coloured Crane's-bill.
Sept.	68	202	Lupinus perennis.....Perennial lupine.
		203	Geranium angulatum.....Angular-stalked Crane's-bill.

Vol.	*Fasc.*	*No.*	
VI.	68	204	Ranunculus aconitifolius, *var.* flore pleno ..... } Mountain Crow-foot, or Fair Maids of France.
Oct.	69	205	Dianthus barbatus .....Sweet-William.
		206	Geranium anemonifolium ...Anemone-leaved Crane's-bill.
		207	Antirrhinum alpinum .....Alpine Toad-flax.
Nov.	70	208	Meliſſa grandiflora.....Great-flowered balm.
		209	Hibiſcus Trionum.....Bladder Hibiſcus, or Venice Mallow.

It is probable that the ſeeds of this plant, like thoſe of Muſtard, if buried to a certain depth in the ground, will remain for many years in a ſtate fit for vegetation, when accident brings them near the ſurface. It is in this way that we account for what we have known repeatedly to happen, that this flower has appeared ſpontaneouſly in gardens, where no recollection of it remained, and it certainly had not been ſeen for many years.

		210	Hemimeris linearis .....Linear-leaved Hemimeris. [Celſia linearis.]

Miſled by the authority of Jacquin, Curtis retained his name of Celſia to this plant, though not without remarking its diſagreement with the character of that genus. Willdenow has added it to Hemimeris, with which it certainly correſponds better, yet we ſuſpect it will be hereafter found to be diſtinct from both.

Generic Character.——*Cal.* 5-partitus. *Cor.* rotata, 5-lobata, inæqualis : lobis medio excavatis nectariferis, lacinia una majore obcordata. *Filam.* glabra. *Antheræ* cordatæ connatæ. *Stigm.* 1. *Capſ.* 2-locularis loculo altero gibboſiore.

Hemimeris cóccinea. *Willd. Sp. Pl.* 3. *p.* 283.

Dec.	71	211	Sedum populifolium .....Poplar-leaved Stone-crop.
		212	Tanacetum flabelliforme....Fan-leaved Tanſy.
		213	Polygonum orientale.....Tall Perſicaria.
Jan.	72	214	Dracocephalum denticulatum. Toothed Dragon's-head.
1793.		215	Ranunculus acris, *var. fl. pl.*. Double upright Crow-foot.
VII.		216	Cypripedium album.....White-petaled Ladies-ſlipper.
Feb.	73	217	Buchnera viſcoſa .....Clammy Buchnera.
		218	Diſandra proſtrata .....Trailing Diſandra.
		219	Michauxia campanuloides ...Rough-leaved Michauxia.
March	74	220	Erica cerinthoides .....Honeywort-flowered Heath.
		221	Ipomæa coccinea.....Scarlet Ipomæa.
		222	Struthiola erecta .....Smooth Struthiola.
April	75	223	Lychnis coronata.....Chineſe Lychnis.
		224	Phylica ericoides .....Heath-leaved Phylica.
		225	Lobelia ſurinamenſis .....Shrubby Lobelia.
May	76	226	Arabis alpina.....Alpine Wall-Creſs.
		227	Helianthus multiflorus .....Perennial ſun-flower.
		228	Bellis perennis, *var. flore pleno* . Great double Daiſy.
June	77	229	Primula acaulis, *var. fl. pl. carnea* ..... } Double Lilac Primroſe.
		230	Plumbago roſea .....Roſe-coloured Lead-wort.
		231	Fumaria ſolida.....Solid-rooted Fumitory.

Claſs and Order.——Diadelphia Hexandria. [Miſprinted Pentandria.]

July	78	232	Fumaria cava.....Hollow-rooted Fumitory.

Fumaria bulboſa. *Willd. Sp. Pl.* 2. *p.* 860.

Vol.	*Fasc.*	*No.*	
VII.	78	233	Chironia baccifera.....Berry-bearing Chironia.
		234	Linum arboreum.....Tree-Flax.
Auguſt	79	235	Trollius aſiaticus.....Aſiatic Globe-Flower.
		236	Verbaſcum Myconi.....Borage-leaved Mullein.
		237	Oxalis cernua.....Nodding flower[d]. Wood-ſorrel

Specific Character and Synonyms.

OXALIS *cernua*; foliis ternatis glabris, ſtylis breviſſimis, filamentis interioribus æqualibus, floribus clauſis cernuis, expanſis erectis. *Jacq. Oxal. n.* 16. *p.* 37. *t.* 6.

OXALIS *cernua. Willd. Sp. Pl.* 2. *p.* 787. *Mill. Icon. t.* 195. *f.* 1. *Thunb. Diſſ. n.* 12. *p.* 14. *t.* 2. *f.* 2.

The flowers of Oxalis caprina, according to Jacquin, are violet-coloured with a yellow bottom; the filaments hairy.

Sept.	80	238	Senecio elegans, *var. fl. pl.*..Double Purple Groundſel.
		239	Amaryllis Atamaſco.....Atamaſco Lily.
		240	Pelargonium tricolor.....Three coloured Crane's-bill.
Oct.	81	241	Fagonia cretica.....Cretian Fagonia.
		242	Veronica decuſſata.....Croſs-leaved Speedwell.
		243	Argemone mexicana.....Mexican Prickly-Poppy.

Seen in London, by Camerarius, in 1592. *Vide Cluſ. Hiſt.* 2. *p.* 93.

Nov.	82	244	Ipomæa Quamoclit.....Winged-leaved Ipomæa.
		245	Teucrium latifolium.....Broad leaved ſhrubby Germander.
		246	Aquilegia canadenſis.....Canadian Columbine.
Dec.	83	247	Scabioſa atropurpurea.....Sweet Scabious.
		248	Vinca roſea.....Madagaſcar Periwinkle.
		249	Cineraria Amelloides.....Blue Cineraria or Cape-aſter.
Jan.	84	250	Myrtus tomentoſa.....Woolly-leaved Myrtle.
1794.		251	Allium deſcendens.....Purple-headed Garlick.

The name *deſcendens* we ſuppoſe was given to this ſpecies, from the circumſtance of the flowers at the upper part of the capitulum expanding firſt, and thoſe of the lower part in ſucceſſion, contrary to the more uſual order in plants of this family.

		252	Campanula grandiflora.....Great-flowered Bell-flower.
VIII.	85	253	Lathyrus articulatus.....Jointed-podded Lathyrus.
Feb.		254	Lopezia mexicana.....Mexican Lopezia.

[Lopezia racemoſa.]

Lopezia mexicana. *Jacq. Collect. Sup. p.* 3. *Icon. v.* 2. *Vahl Enum. Pl.*

		255	Cytiſus ſeſſilifolius.....Common Cytiſus.
March	86	256	Tritonia longiflora.....Long-tubed Tritonia.

[Ixia longiflora.] Vide Nos. 581 & 609; alſo, Annals of Botany, vol. 1. p. 208.

		257	Lychnis chalcedonica.....Scarlet Lychnis or Flower of Conſtantinople.
		258	Coronilla varia.....Purple Coronilla.
April	87	259	Lilium Cateſbæi.....Cateſby's Lily.
		260	Metroſideros lanceolata.....Harſh-leaved Metroſideros.

[M. citrina.] Met. *lanceolata*; foliis alternis lanceolatis mucronatis, floribus lateralibus confertis ſeſſilibus pubeſcentibus. *Smith in Act. Soc. Linn. v.* 3. *p.* 272. *Willd. Sp. Pl.* 2. *p.* 955.——We ſubmit to authority; but muſt ſtill think there was no ſufficient reaſon for changing the name of citrina firſt given to this plant by Dr. Solander, as appears

Vol.	*Fasc.*	*No.*	
			by his own hand-writing affixed to the representation of this among the collection of drawings of Botany-Bay plants in the Banksian library, and thence adopted in this work.
VIII.	87	261	Erodium incarnatum.....Flesh-coloured Crane's-bill.
May	88	262	Mesembryanthemum aureum. Golden Fig-marigold.
		263	Glycine bimaculata.....Purple Glycine.
		264	Cistus formosus.....Beautiful Cistus. *Willd. Spec. Pl.* 2. *p.* 1188.
June	89	265	Trichonema roseum.....Rose-coloured Trichonema. [Ixia Bulbocodium.] Vide No. 575 and Annals of Botany, v. 1. p. 222.
		266	Ranunculus amplexicaulis...Plantain-leaved Crow-foot.
		267	Pyrus spectabilis.....Chinese Apple-tree.
July	90	268	Glycine rubicunda.....Dingy-flowered Glycine.
		269	Ornithogalum nutans.....Neapolitan Star of Bethlehem.
		270	Glycine coccinea.....Scarlet Glycine.
August	91	271	Cyrtanthus angustifolius....Narrow-leaved Cyrtanthus.
		272	Gladiolus tristis.....Square-leaved Corn-flag.
		273	Diosma uniflora.....One-flowered Diosma.
Sept.	92	274	Borbonia crenata.....Heart-leaved Borbonia.
		275	Liriodendrum tulipifera....Common Tulip-tree.
		276	Blitum virgatum.....Strawberry Blite.
Oct.	93	277	Mahernia pinnata.....Winged Mahernia.
		278	Lilium candidum.....White Lily.
		279	Plumeria rubra.....Red Plumeria.
Nov.	94	280	Apocynum Androsæmifolium.....} Tutsan-leaved or fly-catching Dog's-bane.
		281	Turnera angustifolia.....Narrow-leaved Turnera.
		282	Hedysarum obscurum.....Creeping-rooted Hedysarum.
Dec.	95	283	Mimulus ringens.....Narrow-leav'd Monkey-flower
		284	Rosa semperflorens.....Ever-blowing Rose.
		285	Jasminum odoratissimum....Yellow Indian Jasmine.
Jan.	96	286	Portlandia grandiflora.....Great-flowered Portlandia.
1795.		287	Goodenia lævigata.....Smooth Goodenia.
		288	Passiflora ciliata.....Ciliated Passion-flower.
IX.	97	289	Convolvulus linearis.....Narrow-leaved Bindweed.
Feb.		290	Amaryllis lutea.....Yellow Amaryllis.
		291	Capparis spinosa.....The Caper-Shrub.
March	98	292	Passerina grandiflora.....Great-flowered Passerina.
		293	Catananche cærulea.....Blue Catananche.
		294	Amaryllis farniensis.....Guernsey Lily.
April	99	295	Agrostemma Cœli Rosa....Smooth-leaved Cockle, or Rose-Campion.
		296	Sempervivum tortuosum....Gouty House-leek.
		297	Dianthus superbus.....Superb Pink.
May	100	298	Origanum Dictamnus.....Dittany of Crete.
		299	Hermannia Alnifolia.....Alder-leaved Hermannia.
		300	Gnaphalium eximium.....Giant Cudweed.
June	101	301	Melianthus minor.....Small Honey-flower.
		302	Mimosa myrtifolia.....Myrtle-leaved Mimosa.
		303	Erica ampullacea.....Flask-flowered Heath.
July	102	304	Hermannia lavandulifolia...Lavender-leaved Hermannia.
		305	Amaryllis equestris.....Barbadoes Lily. Linnæus doubtless called this plant *equestris*, from the resemblance which the flower bears to the star of some orders of knighthood.

Vol.	*Fasc.*	*No.*	
IX.	102	306	Othonna pectinata .....Wormwood-leaved Othonna.
Auguſt	103	307	Hermannia Althæifolia .....Marſh-mallow-leaved Hermannia.
		308	Verbena Aubletia .....Roſe Vervain.
		309	Pelargonium echinatum.....Prickly-ſtalked Geranium.
Sept.	104	310	Erinus alpinus .....Alpine Erinus.
		311	Robinia hiſpida.....Roſe Acacia.
		312	Linum flavum .....Yellow Flax.
Oct.	105	313	Daphne Cneorum .....Trailing Daphne.
		314	Geniſta triquetra .....Triangular-ſtalked Broom.
		315	Pelargonium Ceratophyllum. Horn-leaved Crane's-bill.
Nov.	106	316	Polygala Chamæ-buxus.....Box-leaved Milk-wort.
		317	Ononis fruticoſa .....Shrubby Reſt-Harrow.
		318	Anthericum Liliaſtrum .....Savoy Anthericum, or St. Bruno's Lily.
Dec.	107	319	Anagallis Monelli .....Italian Pimpernel.
		320	Lobelia Cardinalis.....Scarlet Lobelia, or Cardinal's-flower.
		321	Cotyledon orbiculata.....Round-leaved Navel-wort.
Jan.	108	322	Manulea tomentoſa .....Woolly Manulea.
1796.		323	Rubus odoratus.....Flowering Raſpberry.
		324	Antirrhinum triphyllum ....Three-leaved Toad-flax.
X.	109	325	Juſtitia naſuta .....Dichotomous Juſtitia. Vahl. Enum. p. 144.
Feb.		326	Meſembryanthemum viridiflorum .....} Green-flower'd Fig-Marigold.
		327	Chryſanthemum indicum ...Indian Chryſanthemum.
March	110	328	Trifolium incarnatum .....Crimſon Trefoil.
		329	Ononis Natrix.....Yellow-flowered Reſt-Harrow
		330	Sida criſtata .....Creſted Sida.
April	111	331	Kalmia anguſtifolia.....Narrow-leaved Kalmia.
		332	Œnothera fruticoſa.....Shrubby Œnothera.
		333	Cerinthe major .....Great Honey-wort.
May	112	334	Hypericum monogynum....Chineſe St. John's-wort.
		335	Ononis rotundifolia.....Round-leaved Reſt-Harrow.
		336	Lotus hirſutus .....Hairy Bird's-foot-trefoil.
June	113	337	Prunella grandiflora.....Great-flowered Self-heal.
		338	Allamanda cathartica .....Willow-leaved Allamanda.
		339	Arum trilobatum.....Three-lobed Arum.
July	114	340	Polygala Heiſteria .....Heath-leaved Milk-wort.
		341	Scilla amœna.....Byzantine Squil.
		342	Erica perſoluta .....Bluth-flowered Heath.
Auguſt	115	343	Gladiolus Cunonia.....Cunonia Corn-flag. [Antholyza Cunonia.] Vide *Annals of Botany*, v. 1. p. 230. This plant and Gladiolus quadrangularis in the ſingular form of their flowers, approach very near Antholyza; but the ſtructure of the ſeeds is entirely that of Gladiolus, as is alſo the bulb. Vide *Gærtner. Sem.* v. 1. p. 31. t. 11. f. 4.
		344	Aſpalathus pedunculata ....Small-leaved Aſpalathus.
		345	Polygala bracteolata .....Spear-leaved Milk-wort.
Sept.	116	346	Protea mellifera .....Honey-bearing Protea.
		347	Œnothera roſea.....Roſe-coloured Œnothera.
		348	Calceolaria Fothergillii.....Fothergill's Slipper-wort. Vahl. Enum. 173.

Vol.	*Fasc.*	*No.*	
X.	117	349	Solanum laciniatum.....Cut-leaved Nightſhade.
Oct.		350	Erica ventricoſa.....Porcelain Heath.
		351	Saxifraga mutata.....Saffron-coloured Saxifrage.
Nov.	118	352	Œnothera purpurea.....Purple Œnothera.
		353	Mahernia inciſa.....Cut leaved Mahernia.
		354	Mimulus aurantiacus.....Orange Monkey-flower.
Dec.	119	355	Œnothera pumila.....Dwarf Œnothera.
		356	Erica Maſſoni.....Maſſon's Heath.
		357	Briza maxima.....Great Quaking-graſs.
Jan.	120	358	Erica baccans.....Arbutus-flowered Heath.
1797.		359	Convolvulus althæoides.....Silky-leaved Convolvulus.
		360	Hibiſcus ſpecioſus.....Superb Hibiſcus.
Feb.	121	361	Lycium japonicum.....Japaneſe Boxthorn.
XI.			Seriſſa fœtida. *Willd. Sp. Pl.* 2. *p.* 1061.
		362	Erica retorta.....Recurved Heath.
		363	Roſa lutea.....Auſtrian Roſe.
March	122	364	Vitex Negundo.....Five-leaved Chaſte-tree.
		365	Œnothera longiflora.....Long-flowered Œnothera.
		366	Erica pyramidalis.....Pyramidal Heath.
April	123	367	Verbena triphylla.....Three-leaved Vervain.
		368	Antirrhinum viſcoſum.....Clammy Toad-flax.
		369	Amaryllis undulata.....Waved-flowered Amaryllis.
May	124	370	Houſtonia cærulea.....Blue-flowered Houſtonia.
		371	Mirabilis Jalapa.....Common Marvel of Peru.
		372	Zygophyllum inſuave.....Unpleaſant Bean-Caper.
June	125	373	Iris Chinenſis.....Chineſe Flag.
			Iris fimbriata. *Ventenat Hort. Celſ. t.* 9.
		374	Cyrilla pulchella.....Scarlet-flowered Cyrilla.
		375	Aſtragalus Monſpeſſulanus...Montpelier Milk-vetch.
July	126	376	Salvia formoſa.....Shining-leaved Sage.
			Salvia Leonuroides. *Vahl Enum.* 236.
		377	Erodium romanum.....Roman Crane's-bill.
		378	Roella ciliata.....Prickly Roella.
Auguſt	127	379	Narciſſus tenuior.....Slender Narciſſus.
		380	Dolichos lignoſus.....Purple Dolichos.
		381	Sparaxis tricolor.....Three-coloured Sparaxis.
			[Ixia tricolor.] Vide No. 779, and Annals of Botany, vol. 1. p. 225.
Sept.	128	382	Silene ornata.....Dark-coloured Catch-fly.
		383	Tritonia ſecurigera.....Hatchet-flowered Tritonia.
			[Gladiolus ſecuriger.] Vide Nos. 581 & 609; alſo, Annals of Botany, vol. 1. p. 227.
		384	Craſſula cotyledon.....Tree Craſſula.
Oct.	129	385	Monſonia lobata.....Broad leaved Monſonia.
		386	Ranunculus parnaſſifolius....Parnaſſia-leaved Crowfoot.
		387	Epidendrum aloides.....Aloe-leaved Epidendrum.
Nov.	130	388	Gaura murabilis.....Changeable Gaura.
			[Œnothera anomala.] *Willd. Sp. Pl.* 2. *p.* 312. *Cavan. Icon. Rar.* 3. *p.* 30. *t.* 258.
		389	Gaura biennis.....Biennial Gaura.
		390	Magnolia purpurea.....Purple Magnolia.
			Magnolia diſcolor. *Ventenat Hort. Malmaiſon, t.* 24.
Dec.	131	391	Philadelphus coronarius.....Common Syringa, or Mock-Orange.
		392	Primula longifolia.....Long-leaved Primroſe.
		393	Brunsfelſia americana.....American Brunsfelſia.

Vol.	*Fasc.*	*No.*	
XI.	132	394	Lychnis alpina.....Alpine Lychnis.
Jan.		395	Salvia indica.....Indian Sage.
1798.			*Vahl Enum.* 262.
		396	Mesembryanthemum spectabile..... } Shewy Fig-Marigold.
XII.	133	397	Campanula persicifolia, *v.* *maxima* ..... } Greatest-flowered Peach-leaved Bell-flower.
Feb.			
		398	Agrostemma Flos Jovis.....Umbelled Rose-Campion.
		399	Primula cortusoides.....Cortusa-leaved Primula.
March	134	400	Lavandula dentata.....Tooth-leaved Lavender.
		401	Lavandula pinnata.....Pinnated Lavender.
		402	Erica vestita, *var. coccinea*...Red-flowered tremulous Heath
April	135	403	Linum africanum.....African Flax.
		404	Campanula mollis.....Soft Bell-flower.
		405	Lagerstrœmia indica.....Indian Lagerstrœmia.
May	136	406	Cineraria cruenta.....Purple-leaved Cineraria.
		407	Rosa provincialis, *var*.....Pompone Rose.
		408	Calendula Tragus.....Bending-stalked Marigold.
June	137	409	Amaryllis aurea.....Golden Amaryllis.
		410	Babiana rubro-cyanea.....Red-blue Babiana.
			[Ixia rubro-cyanea.]
		411	Phlox subulata.....Awl-leaved Lychnidea.
July	138	412	Iris cristata.....Crested Iris.
		413	Pelargonium ternatum.....Ternate Crane's-bill.
		414	Xeranthemum fulgidum ....Great Yellow-flowered Xeranthemum.
August	139	415	Phlox setacea.....Fine-leaved Lychnidea.
		416	Marica martinicensis .....Martinico Marica.
			[Iris martinicensis.]
		417	Hemimeris urticæfolia.....Nettle-leaved Hemimeris.
			[Celsia urticæfolia.] Vide No. 210.
Sept.	140	418	Watsonia Meriana.....Merian's Watsonia.
			[Antholyza Meriana.]
			For the Generic Character of Watsonia, consult No. 537 and 553; also, Annals of Botany, vol. 1. p. 229.
		419	Alyssum montanum.....Mountain Alyssum or Madwort
		420	Xeranthemum canescens ....Elegant Xeranthemum.
Oct.	141	421	Centaurea aurea.....Golden Knap-weed.
		422	Grewia occidentalis.....Elm-leaved Grewia.
		423	Erica articularis.....Articular Heath.
Nov.	142	424	Saxifraga rotundifolia.....Round-leaved Saxifrage.
		425	Xeranthemum sesamoides....Superb Xeranthemum.
		426	Cytisus foliosus.....Leafy Cytisus.
Dec.	143	427	Hippocrepis balearica .....Shrubby Horse-shoe-vetch.
		428	Daphne collina .....Mountain Daphne.
		429	Erica Aitonia.....Aiton's Heath.
Jan.	144	430	Justicia Peruviana .....Peruvian Justicia.
1799.			J. furcata. Vahl Enum. 147.
		431	Linum quadrifolium .....Four-leaved Flax.
		432	Justicia coccinea .....Scarlet-flowered Justicia.
			Vahl Enum. 121.
XIII.	145	433	Azalea pontica.....Yellow Azalea.
Feb.		434	Oxybaphus viscosus .....Viscid Umbrella-wort.
		435	Gnaphalium ericoides .....Heath-leaved Gnaphalium.
March	146	436	Hibiscus præmorsus .....Round-leav^d. shrubby Hibiscus
		437	Hydrangea arborescens .....Shrubby Hydrangea.

Vol.	*Fasc.*	*No.*	
XIII.	146	438	Hydrangea hortensis .....Garden Hydrangea.
April	147	439	Illicium floridanum .....Red-flowered Aniseed-tree.
		440	Erica albens.....Pallid Heath.
		441	Watsonia aletroides, α.....Dwarf Watsonia. [Antholyza Merianella.] *See No.* 533, *and Annals of Botany, vol.* 1. *p.* 230.
May	148	442	Genista linifolia.....Flax-leaved Broom.
		443	Erica Physodes .....Sticky-flowered Heath.
		444	Canarina Campanula.....Canary Bell-flower.
June	149	445	Coronilla Emerus .....Scorpion Senna.
		446	Psoralea bracteata .....Oval-spiked Psoralea.
		447	Erica empetrifolia .....Crow-berry-leaved Heath.
July	150	448	Mesembryanthemum micans. Glittering Fig-Marigold.
		449	Dillenia speciosa .....Shewy Dillenia. This is certainly not the Dillenia speciosa taken up by Linnæus from the Hortus Malabaricus of Rheede, as appears by Captain Hardwicke's drawing, published by Dr. Smith in the Exotic Botany, tab. 2, which admirably corresponds with the character in the Genera Plantarum in every part, except the fruit, tab. 3, which Rheede had not perhaps seen in a perfect state. The whole fructification of our plant is so totally different, that we cannot conceive it to belong to the same genus, though it appears to be a congener of all the other species, figured by Prof. Thunberg, in the first volume of the Transactions of the Linnæan Society.
		450	Gladiolus Watsonius .....Watson's Corn-flag. Vide No. 569.
August	151	451	Blakea trinervia.....Three-ribbed Blakea.
		452	Cardamine trifolia.....Three-leaved Cuckow-flower.
		453	Amaryllis Reginæ .....Mexican Lily.
Sept.	152	454	Canna indica .....Common Indian Reed.
		455	Aloë retusa .....Cushion Aloe.
		456	Diosma serratifolia .....Saw-leaved Diosma.
Oct.	153	457	Aloë plicatilis .....Fan Aloe.
		458	Aristea cyanea .....Grass-leaved Aristea.
		459	Convolvulus Cneorum.....Silvery-leaved Bindweed.
Nov.	154	460	Maurandya semperflorens ...Climbing Maurandya.
		461	Jasminum fruticans.....Yellow Jasmine. Vahl Enum. 33.
		462	Anthemis Pyrethrum.....Pellitory of Spain.
Dec.	155	463	Epidendrum ciliare .....Fringed Epidendrum.
		464	Sisyrinchium gramineum ....Grass-leaved sisyrinchium.
		465	Indigofera angustifolia.....Narrow-leaved Indigo.
Jan.	156	466	Calycanthus præcox.....Japan Allspice.
1800.		467	Dracocephalum virginianum. Virginian Dragon's-head.
		468	Œnothera tetraptera .....White-flowered Œnothera.
XIV.	157	469	Platylobium formosum .....Large-flowered Flat-Pea.
Feb.		470	Trillium erectum.....Upright Trillium.
		471	Erica mediterranea .....Mediterranean Heath.
March	158	472	Aloë perfoliata, *v. succotrina* Succotrine Aloe.
		473	Plinia pedunculata .....Pedunculated Plinia.
		474	Rhodora canadensis .....Canadian Rhodora.
April	159	475	Pultenea stipularis .....Scaly Pultenea.
		476	Indigofera psoraloides .....Long-spiked Indigo.
		477	Pelargonium crassicaule .....Thick-stalked Crane's-bill.

Vol.	*Fasc.*	*No.*	
XIV.	160	478	Phlomis Leonurus .....Lion's-tail Phlomis.
May		479	Geropogon glabrum .....Smooth Geropogon, or Old-Man's-Beard.
		480	Erica pubescens .....Downy-flowered Heath.
June	161	481	Erica hirtiflora.....Rough-flowered Heath.
		482	Crotalaria triflora .....Three-flowered Crotalaria. Rafnia triflora. *Vent. Hort. Malmaison*, 48.
		483	Hebenstretia dentata .....Toothed Hebenstretia.
July	162	484	Erica ciliaris .....Ciliated Heath.
		485	Bignonia radicans .....Ash-leaved Trumpet-flower.
		486	Syringa persica.....Persian Lilac.
August	163	487	Tritonia lineata .....Pencilled Tritonia. [Gladiolus lineatus.] Vide Nos. 581 & 609; also, Annals of Botany, vol. 1. p. 228.
		488	Rhododendron Chamæcistus . Thyme-leaved Rhododendron
		489	Spiræa trifoliata.....Three-leaved Spiræa.
Sept.	164	490	Crotalaria juncea.....Channel-stalked Crotalaria.
		491	Gentiana verna .....Vernal Gentian.
		492	Polygala oppositifolia .....Opposite-leaved Milk-wort.
Oct.	165	493	Pelargonium reniforme .....Kidney-leaved Crane's-bill.
		494	Centaurea ragusina.....Cretan Centaury.
		495	Crassula coccinea.....Scarlet-flowered Crassula.
Nov.	166	496	Heliophila arabioides.....Club-pointed Heliophila.
		497	Quassia amara .....Bitter Quassia.
		498	Achillea tomentosa .....Woolly Milfoil.
Dec.	167	499	Allium Moly .....Yellow Garlic or Moly.
		500	Agapanthus umbellatus .....African Blue Lily.
		501	Veltheimia capensis .....Waved-leaved Veltheimia. [Aletris capensis.] As Linnæus framed his character of Aletris from the North-American species *farinosa*, of which this is not a congener, it was necessary to rename this plant, which has been done by Gleditsch in the Acta Berolinensia, 1771; and this alteration has been since adopted by Jacquin and Willdenow: but as some of the plants, referred to in this genus by these authors, differed in their seed-vessels as much from this, as this from Aletris, we were not hasty to adopt this change till we should have an opportunity of examining the seed-vessels of the different species. This has been since done by our friend and coadjutor Gawler (now J. B. Ker-Bellenden, Esq.) and the incongruous species formed into a new genus under the name of Tritoma. Vide Nos. 744, 758, & 764. *Generic Character.*——*Cor.* tubulosa 6-dentata. *Stam.* tubo inserta. *Caps.* membranacea trialata loculis monospermis. Gled.
Jan.	168	502	Heliconia Psittacorum.....Parrot-beaked Heliconia.
1801.		503	Calycanthus floridus .....Carolina allspice.
		504	Geranium argenteum.....Silver-leaved Crane's-bill.
XV.	169	505	Dianella cærulea .....Blue Dianella.
Feb.		506	Stapelia lentiginosa .....Freckled Stapelia. In some copies this plate is, by mistake, numbered 505. We have reason to think that, notwithstanding some deviation from Masson's figure and description, this is really his Stapelia *guttata*.
		507	Sempervivum globiferum....Globular Houseleek.

Vol.	*Faſc.*	*No.*	
XV.			Soon after the publication of this number, the Editor received a letter, accompanied with living plants, from Mr. Jonathan Wilſon, at Congleton, for which he is much obliged. Mr. Wilſon apprehends that the figure here given does not belong to the Sedum "*globulis decidentibus*" of Moriſon, commonly known by the name of Hen and Chicken; and upon further examination we find that in this he is certainly right. We are convinced that two diſtinct ſpecies have been confounded in the Species Plantarum. The plant here given may however retain its preſent name, as it appears to be the ſame with Jacquin's and Haller's, but differs from that of Schmidel and Moriſon. Mr. Wilſon remarks, that in order to make the latter flower, which it is very ſhy of doing, it is neceſſary to clear away all the ſurrounding plants, leaving only one or two in the centre of the pot; and, upon making the experiment, we found it readily ſucceed.
March	170	508	Chryſanthemum tricolor.....Three-coloured Chryſanthemum.
		509	Podalyria auſtralis.....Blue-flowered Podalyria. [Sophora auſtralis.] P. auſtralis. *Vent. Hort. Celſ.* 56. For the generic character of Podalyria, vide No. 753.
		510	Convallaria bifolia.....Leaſt Solomon's-Seal.
April	171	511	Chironia Linoides.....Flax-leaved Chironia.
		512	Campanula pumila.....Dwarf Bell-flower.
		513	Aloë variegata.....Partridge-breaſt Aloe.
May	172	514	Lobelia bicolor.....Spotted-flowered Lobelia. Although this plant will produce flowers, and even ripe fruit, in the ſame year that it is ſown, yet it is not properly an annual, as the plant will ſurvive the winter if protected from the froſt.
		515	Lithoſpermum orientale.....Yellow Gromwell or Bugloſs.
		516	Sparmannia africana.....African Sparmannia.
June	173	517	Lavatera thuringiaca.....Great-flowered Lavatera.
		518	Pelargonium tomentoſum...Penny-royal Crane's-bill.
		519	Lilium philadelphicum.....Philadelphian Lily.
		520	Ariſtea ſpiralis.....White-flowered Ariſtea. [Moræa ſpiralis.] Vide No. 605, and Annals of Botany, v. 1. p. 236.
July	174	521	Orobus vernus.....Early-flowering Bitter-Vetch.
		522	Ixia patens.....Crimſon Ixia. I. filiformis. *Ventenat Hort. Celſ.* 48.
		523	Watſonia ſpicata.....Hollow-leaved Watſonia. [Ixia fiſtuloſa.] Vide No. 553, and Annals of Botany, vol. 1. p. 229.
		524	Pelargonium pulchellum....Nonſuch Crane's-bill. At the time this number was publiſhed, the ſame plant appeared alſo in the Botaniſt's Repoſitory, under the name of Pelargonium pictum; but, both in the figure and deſcription, the moſt remarkable character of the winged footſtalks is entirely omitted.
Auguſt	175	525	Antirrhinum triornithophorum.....} Three-bird-bearing Snap-Dragon.
		526	Cornus florida.....Great-flowered Cornel.
		527	Zinnia elegans.....Violet-coloured Zinnia.
		528	Phlox ovata.....Ovate-leaved Lychnidea.

Vol.	*Fasc.*	*No.*	
XV. Sept.	176	529	Melastoma malabathrica ....Cinnamon-leaved Melastoma, or Black Strawberry-tree.
		530	Atragene alpina, *v.* austriaca. Austrian Virgin's-bower.
		531	Iris tuberosa.....Snake's-head Flag. Vide Annals of Botany, vol. 1. p. 242.
		532	Tigridia Pavonia .....Mexican Tiger-flower. [Ferraria Tigridia.] Vide Annals of Botany, vol. 1. p. 246.
Oct.	177	533	Watsonia aletroides .....Aletris-like Watsonia.
		534	Aristolochia Sipho.....Broad-leaved Birthwort.
		535	Viola palmata.....Palmated Violet.
		536	Stapelia Asterias .....Star-fish Stapelia.
Nov.	178	537	Watsonia roseo-alba .....Long-tubed Watsonia.
		538	Gladiolus undulatus, *v.* β...Waved-flowered Corn-Flag.
		539	Ixia conica.....Orange-coloured Ixia.
		540	Mesembryanthemum pomeridianum ..... } Great Yellow-flowered Fig-Marigold.
Dec.	179	541	Sparaxis grandiflora.....Velvet-flowered Sparaxis. [Ixia grandiflora.] For the generic character of Sparaxis, consult No. 779. and Annals of Botany, v. 1. p. 225.
		542	Ixia scillaris, *v.* latifolia (α). Squil-flowered Ixia.
		543	Epidendrum cucullatum ....Hooded Epidendrum.
		544	Arctotis anthemoides .....Chamomile Arctotis.
Jan. 1802.	180	545	Sparaxis bulbifera .....Sulphur-coloured Sparaxis. [Ixia bulbifera.] For the generic character of Sparaxis, see above, No. 541.
		546	Monarda didyma.....Scarlet Monarda, or Oswego-Tea. Vahl Enum. 219. In the last paragraph an error occurs with regard to the origin of its trivial name, which should have been derived from the *twin-like* anthers, there being only one pair, the shorter filaments having none.
		547	Pelargonium quinatum .....Five-fingered Crane's-bill.
		548	Sparaxis bicolor.....Ringent Sparaxis. [Ixia bicolor.] For a more perfect generic character, consult No. 779.
XVI. Feb.	181	549	Ixia maculata, *v.* viridis (γ)..Green-stained Ixia. In section 7 of the Synopsis Ixiæ, for effusis os tubi usque vel ultra, read effusis, os tubi usque vel ultra excisis.
		550	Samyda rosea.....Rose-coloured Samyda.
		551	Campanula azurea.....Azure Campanula.
		552	Nymphæa cærulea .....Blue Water-Lily. N. cærulea. Jard. de Malmais. t. 6. Nymphæa flore cæruleo odoratissimo Capitis Bonæ Spei. *Breyn.*
March	182	553	Watsonia plantaginea.....Small-flowered Watsonia.
		554	Massonia ensifolia .....Trumpet-flowered Massonia.
		555	Zinnia tenuiflora .....Slender-flowered Zinnia.
		556	Gladiolus versicolor, *var.* tenuior (γ)..... } Small changeable Corn-flag.
April	183	557	Trifolium spadiceum.....Bay-coloured Trefoil.
		558	Melanthium junceum.....Rush-leaved Melanthium.
		559	Massonia muricata .....Prickly-leaved Massonia.

Vol.	*Fasc.*	*No.*	
XVI.	183	560	Robinia glutinosa .....Clammy Robinia.
			Robinia viscosa. Ventenat Hort. Cels. t. 4.
May	184	561	Antholyza æthiopica ..... Flag-leaved Antholyza.
		562	Gladiolus gracilis ..... Slender Corn-flag.
		563	Phlox stolonifera .....Creeping Lychnidea.
			Phlox (*reptans*) reptanti-stolonifera, pubescens; caulibus fertilibus erectis, simplicibus, oligophyllis; foliis radicalibus et stolonicis obovalibus; caulinis ovali-lanceolatis: corymbulo paucifloro. *Michaux* Flor. Bor. Am. 1. p. 145.
		564	Cacalia coccinea .....Scarlet-flowered Cacalia.
June	185	565	Clematis Viticella .....Purple Virgin's-Bower.
		566	Hesperantha falcata.....Sickle-leaved Hesperantha.
			[Ixia falcata.]
			Gen. Character.—*Spatha* 2-valvis, herbacea, majuscula, ovali-lanceolata, naviculari-convoluta. *Cor.* tubus sursum paulatim ampliatus, limbus sexpartitus, regularis, ferme æqualis. *Stigmata* 3, longa, effusa, ad tubum usque distincta. *Caps.* oblonga, obtuse trigona, toruloſa, membranacea. *Sem.* numerosa, fere subbaccata, rugosa atque e rotundis angulata.
			Obs. Bulbo-tuber campaniforme indusiis amictum putaminicis, modo coriaceo-lentis, modo ligneo-duris, quandoque osseis atque jugis verticalibus angulatim percursis. Flores vespere explicare, mane iterum se claudere cœperunt, inverso coordinatorum more, quas persequuntur vices in spatium plurimorum dierum. *Stigmata* longiora, gracillima, linearia, canaliculata, laxa atque effuse projecta. *Antheræ* grandiores, leviter appictæ, interdum tremulo incumbentes et versatiles. *Semina* e minoribus. Folia haud raro plano fistuloſa, inde speciem exhibentia crassam; nunquam vero videntur teretia. Gawler, in Annals of Botany, v. 1. p. 224.
			To this genus Mr. Ker-Bellenden, late Gawler, has referred the night-flowering species of Ixia, so much esteemed for their fragrance, viz. Ixia virginea. *Herb. Banks.* Ixia radiata, *Bot. Mag. t.* 573. Ixia cinnamomea, *Thunb. Diss.* Ixia angusta, *Jacq. Ic. rar.* 2. *t.* 279. Ixia pilosa, *Thunb. Diss. p.* 8. besides the present plant.
		567	Gladiolus quadrangularis ...Quadrangular Corn-flag.
			The English name of square leaved having been before applied to Gladiolus tristis, ought not to have been repeated here.
		568	Cyanella capensis.....Purple-flowered Cyanella.
July	186	569	Gladiolus Watsonius (*var.* β) Dwarf Watson's Corn-flag.
		570	Ixia capillaris (*var.* γ) gracillima ..... } Slender Ixia.
		571	Moræa villosa .....Hairy Moræa.
			[Iris villosa.] *Gen. Char.* vide 593, 613, and 695; also, Annals of Botany, v. 1. p. 238.
		572	Epidendrum cochleatum ....Purple-flowered Epidendrum.
August	187	573	Hesperantha radiata.....Nodding-flowered Hesperantha.
			[Ixia radiata.] Vide supra 566.
		574	Gladiolus hirsutus (*var.* δ) roseus ..... } Rose-coloured hairy Corn-flag.
			Vide infra, No. 727.
		575	Trichonema cruciatum .....Channel-leaved Trichonema,

Vol.	Fasc.	No.	
XVI.	187	576	Babiana plicata .....Sweet-scented Babiana.
			In the generic character, for *Sem.* pauca, angulata, read *Sem.* plura, baccata, corrugata, lucida; and near the end of Obs. after *pubescens*, add Sem. *rotunda vel turbinata mutua pressione varie angulata; integumentum medium pulposum, molle, purpurascens.* See Annals of Botany, vol. 1. p. 253.
		577	Moræa tristis .....Dull-coloured Moræa.
			[Iris tristis.] Vide Nos. 593, 613, and 695; also Annals of Botany, v. 1. p. 238.
		578	Gladiolus recurvus .....Violet-scented Corn-flag.
		579	Pelargonium pinnatum .....Pinnated Crane's-bill.
		580	Erica glauca.....Glaucous Heath.
Sept.	188	581	Tritonia squalida.....Sweet-scented Tritonia.
		582	Gladiolus cuspidatus .....Tall Corn-flag.
		583	Babiana villosa.....Crimson Babiana.
		584	Geissorhiza excisa .....Dwarf Geissorhiza.
			[Ixia excisa.] Vide 672 and Annals of Botany, v. 1. p. 223.
			N. B. This is rather a dubious species.
		585	Stapelia grandiflora .....Great-flowered Stapelia.
		586	Gladiolus alatus .....Wing-flowered Corn-flag.
		587	Moræa viscaria .....Bird-limed Moræa.
			[Iris viscaria.] For some additions to this article, see 696, and for the generic character of Moræa consult Nos. 593, 613, and 695; also Annals of Botany, v. 1. p. 238.
		588	Lachenalia quadricolor .....Four-coloured Lachenalia.
Oct.	189	589	Ixia aristata .....Salver-flowered Ixia.
		590	Lachenalia pendula .....Pendulous Lachenalia.
		591	Gladiolus carneus .....Flesh-coloured Corn-flag.
			G. cuspidatus. *Redouté Liliac.* 36.
		592	Gladiolus namaquensis .....Thick-leaved Corn-flag.
		593	Moræa unguiculata .....Long-clawed Moræa.
			In the 2d page, line 15, *for* "in not being bearded," *read* in having the tube of the stamens equal to the ungues.
		594	Ixia crateroides .....Bowl-shaped Ixia.
			The English name of crimson has been before applied to Ixia patens, No. 522.
		595	Lapeyrousia corymbosa .....Level-topped Lapeyrousia.
		596	Cratæva fragrans .....Sweet-scented Cratæva.
XVII. Nov.	190	597	Geissorhiza secunda .....One-ranked Geissorhiza.
			[Ixia secunda.] Vide No. 672, and Annals of Botany, v. 1. p. 223.
		598	Geissorhiza rochensis (α)....Plaid Geissorhiza.
		599	Ixia crispa .....Curled-leaved Ixia.
		600	Watsonia iridifolia (var. β) fulgens ..... } Scarlet flag-leaved Watsonia.
		601	Watsonia brevifolia .....Short-leaved Watsonia.
		602	Gladiolus angustus .....Narrow-leaved Corn-flag.
		603	Pothos cannæfolia .....Sweet-scented Pothos.
		604	Jatropha panduræfolia.....Fiddle-leaved Jatropha.
Dec.	191	605	Aristea capitata .....Tallest Aristea.
		606	Anomatheca juncea.....Cut-leaved Anomatheca.
			[Lapeyrousia juncea.] *Gen. Char. Spatha* 2-valvis, pusilla, herbacea. *Cor.* hypocrateriformis; tubus fauci rectocontinuus, angustè turbinatus; laciniæ subirregulares, spathulato-obovatæ. *Stigmata* 3, gracilia, 2-partita. *Caps.*

Vol.	*Fasc.*	*No.*	
XVII.	191		ovato-rotunda, papilloso-pruinata. *Semina* bene multa, rotunda.
			Obs. Bulbo-tuber ovatum, e majoribus, indusio stupacio vel laxius fibroso-textili obductum. Caulis ramosus, sæpius multiflorus. Folia plura subundulata, rugosulo-adducta, intus deorsum insigniter excisa; e terra obliquatim enascentia, diutius subhumifuse inclinata, demum erectiuscula. Antheræ erectæ accumbentes, parallelæ. Papillosæ capsulæ scabritie a reliquis coordinatis facillime dignoscenda.—Gawler, in Annals of Botany, v. 1. p. 227.
			Differs from all the known plants of this order in its anomalous rough frosted capsule, whence its name.
			This plant is figured by Jacquin in Hort. Schoenb. v. 4. under the name of Gladiolus excisus.
		607	Ixia monadelpha .....Monadelphous Ixia.
			Galaxia ixiæflora. *Redouté Liliac.* 41.
		608	Watsonia marginata .....Long-spiked Watsonia.
		609	Tritonia miniata .....Late-flowering Tritonia.
		610	Gladiolus floribundus .....Large-flowered Corn-flag.
		611	Epidendrum elongatum.....Long-stalked Epidendrum.
		612	Erica metulæflora .....Nine-pin-flowered Heath.
Jan. 1803.	192	613	Moræa edulis.....Long-leaved Moræa.
		614	Wachendorfia hirsuta.....Hairy Wachendorfia.
		615	Melasphærula graminea.....Grass-leaved Melasphærula.
			Diana viridiflora. *Redouté Liliac.* 54.
		616	Wachendorfia paniculata ....Panicled Wachendorfia.
		617	Ixia capillaris, *var.* β. stricta. Wire-stemmed Ixia.
			——— *v.* δ. incarnata. Flesh-coloured Ixia.
		618	Tritonia capensis .....Long-tubed Tritonia.
		619	Stapelia radiata .....Starry Stapelia.
		620	Pterospermum acerifolium...Maple-leaved Pterospermum.
Feb.	193	621	Babiana stricta .....Upright Babiana.
		622	Tritonia deusta.....Copper-coloured Tritonia.
		623	Ixia erecta .....Upright Ixia.
		624	Ixia flexuosa.....Flexuose Ixia.
		625	Gladiolus blandus, α. carneo-albescens. ..... } Fairest Corn-flag.
		626	Babiana disticha.....Hyacinth-scented Babiana.
		627	Cistus algarvensis.....Algarve Cistus.
		628	Petræa volubilis.....Twining Petrea.
March	194	629	Ixia polystachia .....Lily of the Valley-scented Ixia
		630	Ixia columellaris .....Variegated Ixia.
		631	Watsonia humilis.....Lake-coloured Watsonia.
		632	Gladiolus Milleri.....Miller's Corn-flag.
		633	Cassia corymbosa .....Corymbous Cassia.
		634	Punica nana.....Dwarf Pomegranate-tree.
		635	Scutellaria grandiflora .....Large-flowered Scutellaria.
		636	Rhododendrum dauricum ...Dotted-leaved Rhododendron.
April	195	637	Babiana stricta, α.....Dark blue-flowered upright Babiana.
		638	Babiana spathacea .....Stiff-leaved Babiana.
		639	Gentiana ciliata.....Fringed-flowered Gentian.
		640	Lonicera implexa.....Minorca Honeysuckle.
		641	Melanthium eucomoides....Dwarf Melanthium.
		642	Massonia pustulata .....Shagreen-leaved Massonia.
			We strongly suspect this to be the Massonia echinata of

Vol.	*Fasc.*	*No.*	
XVII.	195		Thunberg, but the abſence of the glandular hair from the ſummit of each tubercle prevents our being certain; but perhaps this may be cauſed by change of climate or cultivation. *G.*
		643	Lachenalia lanceæfolia .....Spotted Copperas-leaved Lachenalia.
		644	Lobelia coronopifolia.....Bucks-horn Lobelia.
XVIII.	196	645	Gladiolus blandus, *var. γ.* ..Pale-purple Corn-flag.
May		646	Marica paludoſa .....Marſh Marica.
		647	Gladiolus undulatus, *var. α.* .Waved-flowered Corn-flag.
		648	Gladiolus blandus, *var. β.* ..Snow-white Corn flag.
		649	Protea cordata .....Heart-leaved Protea.
		650	Rhododendron ponticum....Purple Rhododendron.
		651	Paſſiflora ferratifolia .....Notch-leaved Paſſion-flower.
		652	Crocus ſuſianus .....Cloth of gold Crocus.
June	197	653	Ornithogalum revolutum ...Revolute-flowered Star of Bethlem.
		654	Marica northiana.....Broad-ſtemmed Northiana.
		655	Marica plicata .....Small-flowered Marica.
		656	Statice ſpecioſa .....Plantain-leaved thrift.
		657	Amaryllis reticulata.....Netted-veined Amaryllis.
		658	Menianthes indica .....Indian Buck-bean.
		659	Campanula ſibirica .....Siberian Bell-flower.
		660	Lyſimachia quadriflora .....Four flowered Looſe-ſtrife.
July	198	661	Amaryllis longifolia .....Long-leaved Amaryllis.
		662	Hypoxis ſtellata, *α*.....Yellow-flowered Star-Hypoxis
		663	Scilla italica.....Italian Squil.
		664	Fritillaria pyrenaica, *α*.....Pyrenean Fritillary.
		665	Pſoralea corylifolia .....Hazel-leaved Pſoralea.
		666	Stachys coccinea .....Scarlet Stachys.
		667	Andromeda pulverulenta....Oval-leaved Andromeda.
		668	Gordonia Laſianthus .....Smooth Gordonia or Loblolly-Bay.
Auguſt	199	669	Iris lurida.....Dingy Flag.
			For HEXANDRIA read TRIANDRIA.
		670	Iris germanica .....German Flag.
		671	Iris florentina .....Florentine Flag.
		672	Geiſſorhiza obtuſata.....Yellow-flowered Geiſſorhiza.
		673	Nicotiana undulata .....New-Holland Tobacco.
		674	Protea Lepidocarpon .....Black-flowered Protea.
		675	Orobus varius .....Particoloured Bitter Vetch.
		676	Anthyllis Erinacea .....Prickly Anthyllis or Kidney Vetch.
Sept.	200	677	Silene veſpertina .....Morocco Catchfly.
		678	Tritonia criſpa.....Curled-leaved Tritonia.
		679	Iris luſitanica.....Portugueſe Flag.
		680	Babiana tubiflora, *var. β.* ..Long tubed Babiana.
			Gladiolus inclinatus. *Red. Liliac.* t. 4.
		681	Iris graminea.....Graſs-leaved Flag.
		682	Iris arboreus .....Tree Lupin.
		683	Spartium monoſpermum ....White angle-ſeeded Broom.
		684	Nymphæa advena .....Three-coloured Water-Lily.
Oct.	201	685	Iris pallida .....Pale Flag.
		686	Iris Xiphium .....Spaniſh Flag.
		687	Iris Xiphioides.....Pyrenean Flag.
		688	Gladiolus viperatus .....Perfumed Corn-flag.

Vol.	*Fasc.*	*No.*	
XVIII.	201	689	Silene saxatilis .....Stone Catch-fly.
		690	Gardenia Rothmannia.....Spotted-flowered Gardenia.
		691	Campanula gracilis .....Slender Bell-flower.
		692	Pyrus Japonica .....Japan Apple-tree. By the latter-end of the summer 1804, this plant had grown to the height of two feet and was beset with short spines; side branches horizontal, short, and frequent.
XIX.	202	693	Moræa iridioides .....Perennial-leaved Moræa.
Nov.		694	Melanthium spicatum .....Star-flowered Melanthium.
		695	Moræa flexuosa .....Flexuose Moræa.
		696	Moræa tricuspis, *var.* α.....Trident-petaled Moræa.
		697	Protea anemonifolia.....Fork-leaved Protea.
		698	Protea scolymus .....Small smooth-leaved Protea.
		699	Convolvulus cairicus .....Egyptian Bindweed.
		700	Betonica grandiflora .....Great-flowered Betony.
Dec.	203	701	Marica striata .....Streaked-flowered Marica.
		702	Moræa tripetala.....Three-petal-like Moræa.
		703	Iris virginica .....Virginian Flag.
		704	Tritonia fenestrata.....Open-flowered Tritonia.
		705	Gentiana adscendens, *var.* α. Upright Porcelain-flowered Gentian.
		706	Erica longifolia, *var.* carnea. Flesh-coloured long-leaved Heath.
		707	Chironia decussata .....Cross-leaved Chironia.
		708	Hedychium coronarium.....Sweet-scented Garland-flower
Jan. 1804.	204	709	Hypoxis ferrata .....Saw-leaved Hypoxis.
		710	Hypoxis erecta.....Upright Hypoxis.
		711	Hypoxis fobolifera.....Creeping Hypoxis.
		712	Moræa longiflora .....Long-flowered Moræa.
		713	Draba pyrenaica .....Mountain Whitlow-grass.
		714	Valeriana sibirica.....Siberian Valerian.
		715	Bauera rubioides .....Madder-leaved Bauera.
		716	Atragene capensis .....Cape Atragene.
Feb.	205	717	Tulipa Breyniana .....Cape Tulip.
		718	Pancratium illyricum.....Illyrian Pancratium.
		719	Gladiolus segetum.....Round-seeded Corn-flag.
		720	Albuca minor .....Lesser Albuca.
		721	Hillia longiflora.....Long-tubed Hillia.
		722	Trichosanthes anguina.....Snake-Gourd.
		723	Gentiana adscendens, *var.* β. Dwarf Porcelain-flowered Gentian.
		724	Stapelia revoluta .....Revolute-flowered Stapelia.
March	206	725	Amaryllis curvifolia .....Glaucous-leaved Amaryllis.
		726	Amaryllis humilis .....Divaricate-petaled Amaryllis.
		727	Gladiolus hirsutus, β.....Variegated shaggy Corn-flag.
		728	Ornithogalum arabicum ....Large-flowered Star of Bethlem
		729	Cheiranthus tristis .....Dark-flowered Stock.
		730	Hesperis tristis .....Night-smelling Rocket.
		731	Nolana prostrata .....Trailing Nolana.
		732	Convolvulus sepium, β. americanus ..... } American Great Bindweed.
April	207	733	Amaryllis Belladonna, α. ...Belladonna Lily.
		734	Muscari moschatum.....Musk Grape-Hyacinth.
		735	Lachenalia angustifolia .....Narrow-leaved Lachenalia.
		736	Massonia angustifolia.....Sweet-scented Massonia.
		737	Cerbera Ahouai.....Oval-leaved Cerbera.

Vol.	*Fasc.*	*No.*	
XIX.	207	738	Banksia Ericæfolia.....Heath-leaved Banksia.
		739	Sanseviera sessiliflora .....Chinese Sanseviera.
XX.	208	740	Tagetes lucida.....Sweet-scented Tagetes or Chili Marigold.
May		741	Lobelia gracilis .....Slender-stemmed Lobelia.
		742	Indigotera cytisoides .....Angular-stalked Indigo.
		743	Androsace villosa .....Hairy Androsace.
		744	Tritoma media .....Glaucous-leaved Tritoma.
		745	Lachenalia purpuro-cærulea..Purple-blue Lachenalia.
		746	Scilla bifolia.....Two-leaved Squil.
		747	Helonias bullata .....Spear-leaved Helonias.
June	209	748	Helonias asphodeloides .....Grass-leaved Helonias.
		749	Scilla peruviana .....Corymbose Squil.
		750	Moræa papilionacea.....Dwarf Moræa.
		751	Ferraria antherosa .....Green variegated Ferraria.

To the Synonyms add——MORÆA *Ferrariola. Jacq. Col.* 4. *p.* 141. *Hort. Schoenb. v.* 4. *inedit.*

FERRARIA *Ferrariola. Willd. Sp. Pl.* 3. 581.

This being a real FERRARIA, we think *Antherosa* a better trivial name than *Ferrariola*, which was adopted by Jacquin under the idea of this plant being a MORÆA with the appearance of a FERRARIA. *G.*

		752	Ipomæa Bona nox.....Prickly Ipomæa.
		753	Podalyria biflora .....Two-flowered Podalyria.
		754	Galax aphylla .....Carolina Galax.
		755	Pergularia minor .....West-coast Creeper.
July	210	756	Alöe arachnoides .....Spider-footed-leaved Aloe.
		757	Alöe humilis .....Soft-spined Aloe.
		758	Tritoma uvaria .....Serrulate-leaved Tritoma.
		759	Moræa crispa .....Short-spathed Moræa.
		760	Persoonia linearis.....Linear-leaved Persoonia.
		761	Pelargonium incrassatum ....Fleshy-leaved Crane's-bill.
		762	Dahlia coccinea .....Scarlet-flowered Dahlia.
		763	Xeranthemum sesamoides, γ..Straw-coloured Xeranthemum
August	211	764	Tritoma pumila.....Lesser Tritoma.

Like the Allium descendens, the flowers of this species of Tritoma always open first at the upper part in the reverse order of the rest of the genus.

		765	Alöe maculata.....Spotted Aloe.
		766	Lachenalia unifolia .....One-leaved Lachenalia.
		767	Melanthium uniflorum .....Yellow Melanthium.
		768	Othonna pinnata .....Pinnated Othonna or African Ragwort.
		769	Lagunæa Patersonia.....Norfolk Island Lagunæa.
		770	Protea cynaroides.....Artichoke flowered Protea.
Sept.	212	771	Moræa ramosa.....Branching Moræa.
		772	Moræa tricuspis, *v.* γ. lutea..Yellow Trident-petaled Moræa.
		773	Asphodelus luteus .....Yellow Asphodel or Kingspear
		774	Allium ciliatum .....Hairy leaved Garlick.
		775	Knowltonia vesicatoria .....Blistering Knowltonia.
		776	Xeranthemum variegatum...Brown-ripped Xeranthemum.
		777	Epidendrum undulatum.....Spread-Eagle Epidendrum.
		778	Pyrola umbellata.....Umbelled Winter-Green.
Oct.	213	779	Sparaxis grandiflora, *var.* β..Streaked flowered Sparaxis.
		780	Sarracenia flava .....Yellow Side-saddle-flower.

Vol.	*Fasc.*	*No.*	
XX.	213	781	Lonicera sempervirens.....Great Trumpet-Honeysuckle.
		782	Campanula capensis.....Cape Campanula or Bell-flower.
			Add the following Synonym.——Roella decurrens. Bot. Repos. 238, which was overlooked at the time; but the Roella decurrens of L'Heritier is quite a different plant, nor does this agree better with the genus Roella than with that of Campanula, though it has somewhat more of the habit of the former than of the latter. It is however certainly the Campanula capensis of Linnæus.
		783	Philydrum lanuginosum ....Woolly Philydrum.
		784	Ophioxylum serpentinum ...Three-leaved Ophioxylum.
		785	Dionæa Muscipula .....Venus's Fly trap.
		786	Stapelia verrucosa .....Warty-flowered Stapelia.

SYSTEMATICAL INDEX.

In which the Plants contained in the firſt *Twenty Volumes* of the BOTANICAL MAGAZINE are arranged according to the Syſtem of LINNÆUS.

Claſs I. MONANDRIA.

MONOGYNIA.

CANNA indica.
Hedychium coronarium.
Philydrum lanuginoſum.
Lopezia racemoſa.

DIGYNIA.

Blitum virgatum.

Cl. II. DIANDRIA.

MONOGYNIA.

Jaſminum officinale.
——— fruticans.
——— odoratiſſimum.
Syringa vulgaris.
——— perſica.
Veronica decuſſata.
Juſticia coccinea.
——— naſuta.
——— peruviana.
Calceolaria pinnata.
——— Fothergilli.
Verbena aubletia.
——— triphylla.
Monarda fiſtuloſa.
——— didyma.
Salvia indica.
——— formoſa.
——— aurea.

Cl. III. TRIANDRIA.

MONOGYNIA.

Valeriana ſibirica.
Oxybaphus viſcoſus.

Crocus mæſiacus.
——— ſuſianus.
Trichonema roſeum.
——— cruciatum.
Geiſſorhiza rochenſis.
——— ſecunda.
——— obtuſata.
——— exciſa.
Sparaxis tricolor.
——— bicolor.
——— grandiflora.
——— bulbifera.
Heſperantha radiata.
——— falcata.
Ixia capillaris.
——— v. *gracillima*.
——— v. *incarnata*.
——— v. *ſtricta*.
—— ariſtata.
—— patens.
—— flexuoſa.
—— hybrida.
—— conica.
—— monadelpha.
—— columellaris.
—— maculata, v. *viridis*.
—— erecta.
—— crateroides.
—— polyſtachia.
—— ſcillaris, v. *latifolia*.
—— criſpa.
Anomatheca juncea.
Tritonia criſpa.
——— capenſis.
——— longiflora.
——— lineata.
——— ſecurigera.
——— ſqualida.
——— feneſtrata.
——— crocata.
——— deuſta.

T—— miniata.
Watſonia marginata.
——— breviſolia.
——— aletroides, α.
——— ——— β.
——— roſeo-alba.
——— humilis.
——— Meriana.
——— iridifolia.
Gladiolus cunonia.
——— Watſonius, v. α.
——— ——— v. β.
——— quadrangularis.
——— namaquenſis.
——— alatus.
——— viperatus.
——— verſicolor.
——— triſtis.
——— carinatus.
——— gracilis.
——— hirſutus, α.
——— ——— β.
——— carneus.
——— cuſpidatus.
——— blandus, v. α.
——— ——— v. β.
——— ——— v. γ.
——— anguſtus.
——— undulatus, α.
——— ——— β.
——— floribundus.
——— Milleri.
——— cardinalis.
——— communis.
——— ſegetum.
——— recurvus.
Melaſphærula graminea.
Antholyza æthiopica.
Babiana tubiflora.
——— ſpathacea.
——— ſtricta, v. α.
——— ——— v. β.
——— rubro-cyanea.
——— villoſa.
——— diſticha.
——— plicata.
Wachendorfia hirſuta.
——— paniculata.
Ariſtea cyanea.
——— capitata.
——— ſpiralis.
Lapeyrouſia corymboſa.
Moræa flexuoſa.
——— tripetala.
——— tricuſpis, α. β. α. γ.
——— villoſa.
——— unguiculata.
M—— viſcaria.
——— iridioides.
——— longiflora.
——— edulis.
——— triſtis.
——— criſpa.
Iris ochroleuca.
—— ſibirica.
—— ſpuria.
—— virginica.
—— verſicolor.
—— criſtata.
—— chinenſis.
—— graminea.
—— pumila.
—— variegata.
—— lurida.
—— ſambucina.
——— v. *ſqualens.*
—— germanica.
—— florentina.
—— pallida.
—— ſuſiana.
Marica Northiana.
——— martinicenſis.
——— paludoſa.
——— plicata.
——— ſtriata.
Siſyrinchium Bermudiana.
——— graminea.
Pardanthus chinenſis.

DIGYNIA.

Briza maxima.

Cl. IV. TETRANDRIA.

MONOGYNIA.

Protea anemonifolia.
——— Lepidocarpon.
——— ſcolymus.
——— mellifera.
——— cynaroides.
——— cordata.
Perſoonia linearis.
Bankſia ericæfolia.
Scabioſa atro-purpurea.
Houſtonia cærulea.
Cateſbæa ſpinoſa.
Ixora coccinea.
Buddlea globoſa.
Cornus florida.
Struthiola erecta.

Cl. V. PENTANDRIA.

MONOGYNIA.

Heliotropium peruvianum.
Lithoſpermum orientale.
Cynogloſſum omphalodes.
Pulmonaria virginica.
Cerinthe major.
Nolana proſtrata.
Androſace villoſa.
Primula acaulis, v. *plena*.
——— cortuſoides.
——— villoſa.
——— marginata.
——— longifolia.
Soldanella alpina.
Dodecatheon Meadia.
Cyclamen coum.
——— perſicum.
Menyanthes indica.
Lyſimachia ſtricta.
——— quadriflora.
Anagallis Monelli.
Spigelia marilandica.
Azalea pontica.
——— nudiflora, v. *coccinea*.
Plumbago roſea.
Phlox ovata.
—— ſtolonifera.
—— divaricata.
—— ſubulata.
—— ſetacea.
Convolvulus ſepium, v. *β. americanus*.
——— Nil.
——— cairicum.
——— purpureus.
——— althæoides.
——— Cneorum.
——— linearis.
——— tricolor.
Ipomæa Quamoclit.
——— coccinea.
——— Bona nox.
Campanula gracilis.
——— grandiflora.
——— pumila.
——— carpatica.
——— perſicifolia, v. *maxima*.
——— azurea.
——— mollis.
——— ſibirica.
——— aurea.
——— ſpeculum.
——— capenſis.
Roella ciliata.
Portlandia grandiflora.
Lobelia coronopifolia.
——— cardinalis.
——— ſurinamenſis.
——— gracilis.
——— bicolor.
Goodenia lævigata.
Lonicera ſempervirens.
——— implexa.
Mirabilis Jalapa.
Verbaſcum Myconi.
Hyoſcyamus aureus.
Nicotiana undulata.
Solanum laciniatum.
Seriſſa fœtida.
Chironia linoides.
——— baccifera.
——— frutescens.
——— decuſſata.
Cordia Sebeſtena.
Phylica ericoides.
Dioſma uniflora.
——— ſerratifolia.
Viola palmata.
—— pedata.
Heliconia Pittacorum.
Strelitzia Reginæ.
Cerbera Ahovai.
Gardenia Rothmannia.
Allamanda cathartica.
Vinca roſea.
Plumeria rubra.

DIGYNIA.

Pergularia minor.
Apocynum androſæmifolium.
Stapelia revoluta.
——— grandiflora.
——— Aſterias.
——— radiata.
——— verrucoſa.
——— variegata.
——— lentiginoſa.
Gentiana adſcendens, v. *α*.
——— v. *β*.
——— acaulis.
——— verna.
——— ciliata.
Galax aphylla.

TRIGYNIA.

Viburnum Tinus.
Turnera anguſtifolia.

PENTAGYNIA.

Statice reticulata.

S—— ſpecioſa.
——— ſinuata.
Linum flavum.
——— arboreum.
——— africanum.
——— quadrifolium.
Craſſula coccinea.
——— Cotyledon.
Mahernia pinnata.
——— inciſa.

Cl. VI. HEXANDRIA.

MONOGYNIA.

Tradeſcantia virginica.
Maſſonia enſifolia.
——— anguſtifolia.
——— muricata.
——— puſtulata.
Leucoium vernum.
Narciſſus Bulbocodium.
——— minor.
——— bicolor [major].
——— incomparabilis.
——— odorus.
——— triandrus.
——— poeticus [anguſtifolius].
——— biflorus.
——— tenuior.
——— Jonquilla.
Pancratium illyricum.
Agapanthus umbellatus.
Cyrtanthus anguſtifolius.
Amaryllis lutea.
——— Atamaſco.
——— formoſiſſima.
——— Reginæ.
——— equeſtris.
——— reticulata.
——— Belladonna.
——— vittata.
——— longifolia.
——— curvifolia.
——— farnienſis.
——— undulata.
Bulbocodium vernum.
Allium ciliatum.
——— deſcendens.
——— Moly.
Lilium candidum.
——— bulbiferum.
——— chalcedonicum.
——— Cateſbæi.
——— philadelphicum.
Fritillaria Imperialis.
——— pyrenaica.
Erythronium Dens canis.
Tulipa breyniana.
Albuca minor.
Hypoxis erecta.
——— ſobolifera.
——— ſtellata.
——— ſerrata.
Ornithogalum revolutum.
——— arabicum.
——— aureum.
——— nutans.
Scilla italica.
—— peruviana.
—— amæna.
—— campanulata.
—— bifolia.
Cyanella capenſis.
Aſphodelus luteus.
Anthericum Liliaſtrum.
Dianella cærulea.
Convallaria bifolia.
Sanſeviera ſeſſiliflora.
Muſcari botryoides.
——— comoſum.
——— moſchatum.
——— racemoſum.
Lachenalia anguſtifolia.
——— quadricolor.
——— unifolia.
——— purpuro-cærulea.
——— tricolor.
——— pendula.
——— lanceæfolia.
Veltheimia capenſis.
Tritoma Uvaria.
——— humilis.
——— media.
Alöe perfoliata, v. *ſuccotrina*.
—— humilis.
—— arachnoides.
—— maculata.
—— diſticha.
—— plicatilis.
—— variegata.
—— retuſa.
Alſtrœmeria Pelegrina.
——— Ligtu.
Hemerocallis flava.
——— fulva.
Hillia longiflora.
Canarina Campanula.
Melanthium uniflorum.
——— eucomoides.
——— junceum.
——— viride.
——— ſpicatum.
Trillium erectum.

T—— ſeſſile.
Helonias bullata.
—— Aſphodeloides.

Cl. VII. HEPTANDRIA.

MONOGYNIA.

Diſandra proſtrata.

Cl. VIII. OCTANDRIA.

MONOGYNIA.

Tropæolum minus.
—— majus.
Œnothera longiflora.
—— roſea.
—— fruticoſa.
—— pumila.
—— purpurea.
—— tetraptera.
Gaura biennis.
—— mutabilis.
Epilobium anguſtiſſimum.
Fuchſia coccinea.
Michauxia campanuloides.
Erica articularis.
—— pubeſcens.
—— hirtiflora.
—— perſoluta.
—— empetrifolia.
—— baccans.
—— phyſodes.
—— glauca.
—— albens.
—— ciliaris.
—— herbacea.
—— longifolia, v. *carnea*.
—— veſtita, v. *coccinea*.
—— grandiflora.
—— cerinthoides.
—— metulæflora.
—— Maſſoni.
—— ventricoſa.
—— retorta.
—— ampullacea.
—— Aitonia.
—— pyramidalis.
—— mediterranea.
Daphne Cneorum.
—— collina.
Gnidia ſimplex.

TRIGYNIA.

Polygonum orientale.

Cl. X. DECANDRIA.

MONOGYNIA.

Sophora tetraptera.
Podalyria auſtralis.
—— biflora.
Pultenæa ſtipularis.
Caſſia corymboſa.
—— chamæcriſta.
Zygophyllum inſuave.
Quaſſia amara.
Dionæa muſcipula.
Dais cotinifolia.
Melaſtoma malabathrica.
Kalmia latifolia.
—— anguſtifolia.
—— glauca.
—— hirſuta.
Rhodora canadenſis.
Rhododendron dauricum.
—— ponticum.
—— Chamæciſtus.
Andromeda pulverulenta.
Pyrola umbellata.
Samyda roſea.

DIGYNIA.

Hydrangea arboreſcens.
—— hortenſis.
Saxifraga mutata.
—— craſſifolia.
—— ſarmentoſa.
—— rotundifolia.
Saponaria ocymoides.
Dianthus barbatus.
—— caryophyllus.
—— chinenſis.
—— ſuperbus.

TRIGYNIA.

Silene veſpertina.
—— pendula.
—— ornata.
—— ſaxatilis.
Malpighia glabra.

PENTAGYNIA.

Cotyledon orbiculata.
Sedum Anacampſeros.
—— populifolium.
Oxalis cernua.
—— verſicolor.
Agroſtemma coronaria.
—— Flos Jovis.

A——— Cœli Roſa.
Lychnis chalcedonica.
——— coronata.
——— alpina.

Cl. XI. DODECANDRIA.

MONOGYNIA.

Blakea trinervia.
Cratæva fragrans.

TRIGYNIA.

Reſeda odorata.

DODECAGYNIA.

Sempervivum globiferum.
——— tortuoſum.
——— arachnoideum.
——— monanthes.

Cl. XII. ICOSANDRIA.

MONOGYNIA.

Cactus flagelliformis.
Philadelphus coronarius.
Metroſideros lanceolata.
Myrtus tomentoſa.
Punica nana.
Amygdalus nana.
Plinia pedunculata.

PENTAGYNIA.

Pyrus ſpectabilis.
—— japonica.
Meſembryanthemum pinnatifidum.
——— dolabriforme.
——— pomeridianum.
——— viridiflorum.
——— bicolorum.
——— micans.
——— barbatum.
——— aureum.
——— ſpectabile.
Spiræa trifoliata.

POLYGYNIA.

Roſa lutea.
—— muſcoſa.
—— provincialis, v.
—— ſemperflorens.
Rubus odoratus.
—— arcticus.
Fragaria monophylla.
Potentilla grandiflora.
Calycanthus floridus.
——— præcox.

Cl. XIII. POLYANDRIA.

MONOGYNIA.

Capparis ſpinoſa.
Sanguinaria canadenſis.
Papaver orientale.
Argemone mexicana.
Sarracenia flava.
Nymphæa advena.
——— cærulea.
Sparmannia africana.
Grewia occidentalis.
Lagerſtrœmia indica.
Gordonia Laſianthus.
Ciſtus ladaniferus.
—— algarvenſis.
—— incanus.
—— formoſus.

DIGYNIA.

Bauera rubioides.

PENTAGYNIA.

Aquilegia canadenſis.
Nigella damaſcena.

POLYGYNIA.

Dillenia ———
Illicium floridanum.
Liriodendron Tulipifera.
Magnolia purpurea.
Anemone Hepatica.
——— hortenſis.
——— ſylveſtris.
Atragene capenſis.
——— alpina, v. *auſtriaca*.
Clematis Viticella.
——— integrifolia.
Adonis vernalis.
Knowltonia veſicatoria.
Ranunculus parnaſſifolius.
——— amplexicaulis.
——— gramineus.
——— aconitifolius, v. *plenus*.
——— acris, v. *plenus*.
Trollius aſiaticus.
Helleborus hyemalis.
——— niger.
——— lividus.

Cl. XIV. DIDYNAMIA.

GYMNOSPERMIA.

Teucrium latifolium.
Lavendula dentata.
——— pinnata.
Lamium orvala.
Betonica grandiflora.
Stachys coccinea.
Phlomis Leonurus.
Meliſſa grandiflora.
Dracocephalum virginianum.
——— denticulatum.
Scutellaria grandiflora.
Prunella grandiflora.

ANGIOSPERMIA.

Cyrilla pulchella.
Antirrhinum triphyllum.
——— triornithophorum.
——— purpureum.
——— ſparteum.
——— triſte.
——— viſcoſum.
——— alpinum.
Maurandya ſemperflorens.
Brunsfelſia americana.
Hemimeris urticifolia.
——— linearis.
Bignonia radicans.
Lantana aculeata.
Petrea volubilis.
Selago ovata.
Manulea tomentoſa.
Hebenſtretia dentata.
Buchnera viſcoſa.
Browallia elata.
Erenius alpinus.
Mimulus ringens.
——— glutinoſus.
Vitex Negundo.
Melianthus minor.

Cl. XV. TETRADYNAMIA.

SILICULOSA.

Draba aizoides.
—— pyrenaica.
Iferis gibraltarica.
—— umbellata.
Alyſſum maritimum.
—— ſaxatile.
—— montanum.
—— utriculatum.
A—— deltoideum.
Arabis alpina.

SILIQUOSA.

Cardamine trifolia.
Cheiranthus mutabilis.
——— maritimus.
——— triſtis.
Heliophila arabioides.
Heſperis triſtis.

Cl. XVI. MONADELPHIA.

PENTANDRIA.

Hermannia althæifolia.
——— alnifolia.
——— Lavandulæfolia.
Erodium romanum.
——— incarnatum.
——— Chamædryoides.

HEPTANDRIA.

Pelargonium incraſſatum.
——— pulchellum.
——— pinnatum.
——— tomentoſum.
——— lanceolatum.
——— betulinum.
——— acetoſum.
——— tetragonum.
——— craſſicaule.
——— peltatum.
——— cernifolium.
——— echinatum.
——— glutinoſum.
——— tricolor.
——— Radula.
——— bicolor.
——— ternatum.
——— quinatum.
——— reniforme.
——— ceratophyllum.

DECANDRIA.

Geranium anemonifolium.
——— ſtriatum.
——— angulatum.
——— argenteum.

POLYANDRIA.

Sida criſtata.
Lavatera thuringiaca.
——— trimeſtris.

Hibiſcus Roſa ſinenſis.
——— ſyriacus.
——— ſpecioſus.
——— præmorſus.
——— Trionum.
Lagunæa Paterſonia.
Cameilia japonica.

Cl. XVII. DIADELPHIA.

HEXANDRIA.

Fumaria cava.
——— ſolida.
——— glauca.

OCTANDRIA.

Polygula bracteolata.
——— oppoſitifolia.
——— Chamæbuxus.
——— Heiſteria.

DECANDRIA.

Borbonia crenata.
Platylobium formoſum.
Spartium junceum.
——— monoſpermum.
Geniſta linifolia.
——— triquetra.
Aſpalathus pedunculata.
Crotalaria juncea.
——— triflora.
Ononis Natrix.
——— fruticoſa.
——— rotundifolia.
Anthyllis tetraphylla.
——— Erinacea.
Lupinus perennis.
——— arboreus.
——— luteus.
Dolichos lignoſus.
Glycine bimaculata.
——— coccinea.
——— rubicunda.
Orobus vernus.
——— varius.
Lathyrus ſativus.
——— articulatus.
——— odoratus.
——— tingitanus.
——— tuberoſus.
Citiſus Laburnum.
——— folioloſus.
——— ſeſſilifolius.
Robinia glutinoſa.
Colutea arboreſcens.
C—— fruticans.
Coronilla Emerus.
——— Valentinæ.
——— glauca.
——— varia.
Hippocrepis balearica.
Hedyſarum obſcurum.
Indigofera pſoraloides.
——— candicans.
——— cytiſoides.
——— anguſtifolia.
Aſtragallus monſpeſſulanus.
Pſoralea bracteata.
——— corylifolia.
Trifolium incarnatum.
——— ſpadiceum.
Lotus tetragonolobus.
—— jacobæus.
—— hirſutus.
Medicago arborea.

Cl. XVIII. POLYADELPHIA.

DODECANDRIA.

Monſonia ſpecioſa.
——— lobata.

POLYANDRIA.

Hypericum balearicum.
——— monogynum.
——— calycinum.
——— Ceris.

Cl. XIX. SYNGENESIA.

POLYGAMIA ÆQUALIS.

Geropogon glabrum.
Scorzonera tingitana.
Crepis barbata.
Catananche cærulea.
Cacalia coccinea.

POLYGAMIA SUPERFLUA.

Tanacetum flabelliforme.
Gnaphalium eximium.
——— ericoides.
Xeranthemum fulgidum.
——— caneſcens.
——— ſeſamoides.
——— ——— v. *ſulphurea.*
——— variegata.
Tuſſilago alpina.
Seneció elegans.

After tenellus.
—— alpinus.
Cineraria amelloides.
——— lanata.
——— cruenta.
Bellis perennis, v. *plena*.
Tagetes patula.
——— lucida.
Zinnia multiflora.
—— elegans.
—— tenuiflora.
Chryſanthemum indicum.
——————— tricolor.
Anthemis Pyrethrum.
Achillea tomentoſa.

POLYGAMIA FRUSTRANEA.

Helianthus multiflorus.
Rudbeckia purpurea.
Coreopſis verticillata.
Gorteria rigens.
Centaurea montana.
——— ragufina.
——— glaſtifolia.
——— aurea.

POLYGAMIA NECESSARIA.

Calendula Tragus.
Arctotis anthemoides.
Othonna pectinata.
——— pinnata.
Dahlia coccinea.

Cl. XX. GYNANDRIA.

DIANDRIA.

Simodorum tuberoſum.
Cypripedium acaule.
——————— album.
Epidendrum ciliare.
——————— cucullatum.
——————— cochleatum.
——————— fragrans.
——————— aloides.
——————— elongatum.
——————— undulatum.

TRIANDRIA.

Siſyrinchium Bermudiana.
——————— gramineum.
Ferraria undulata.
——— antheroſa.
Tigridia Pavonia.

PENTANDRIA.

Paſſiflora ſerratifolia.
——— alata.
——— ciliata.
——— cærulea.
Ariſtolochia Sipho.

POLYANDRIA.

Arum trilobatum.
Calla æthiopica.
Pothos cannæfolia.

Cl. XXI. MONŒCIA.

MONADELPHIA.

Jatropha panduræfolia.

SYNGENESIA.

Trichoſanthes anguina.

Cl. XXIII. POLYGAMIA.

MONŒCIA.

Ophioxylum ſerpentinum.
Mimoſa verticillata.
——— myrtifolia.

S. Couchman, Printer,
Throgmorton-Street.